

metabo®

work. don't play.

Professional Woodworking Machines 2006/07

NEW



Bring wood to life



Combination machines, Panel saws, Planer/Thicknessers, Dust extraction machines and more....

metabo® 3 YEAR

XXL

ON-LINE WARRANTY
when registered within 4 weeks of purchase

MAXI 26 - 6 Combination machine

- Saw 250mm diameter. Tilting to 45°. Depth of cut 82mm
- Saw/tenoning carriage - length of cut behind the blade 1300mm
- Surface planer: surface width: 260mm, Max. cut: 4mm
- Thicknesser: Thicknessing height: 4 - 150mm, Max. cut: 4mm
- Spindle moulder: 2 speeds (4300/6750 rpm)
Max. \varnothing Tool: (Fence)180mm, (Table)150mm
Supplied with JSA Ring fence as standard
- Slot mortiser: 2 speeds (3900/6300 rpm)
3 jaw chuck capacity 1- 16 mm
- Motor 2 HP (1,5 kw) 1 phase 230v
- Wheel Kit included as standard
- Weight 175 kg

£1,700 excl. VAT £1,997.50 incl. VAT

metabo[®]
work. don't play.



310 S - 5 Combination machine

- Saw 250mm diameter. Tilting to 45°. Depth of cut 67mm
- Cast iron tables on all features
- Saw/tenoning carriage - length of cut behind the blade 1300mm
- Surface planer: surface width: 310mm, Max. cut: 4mm
- Thicknesser: Thicknessing height: 4 - 230mm, Max. cut: 5mm
- Spindle moulder: 3 speeds (4300/6750/8500 rpm)
Max. \varnothing Tool: (Fence)200mm, (Table)155mm
Supplied with JSA Ring fence as standard
- 3 x Motor 3,4 HP (2,5 kw) 1 phase 230v
- Weight 350 kg

£3,269 excl. VAT £3,841.08 incl. VAT **230v - 16 Amp supply**

CB 310 RLX - 5 Combination machine

- Saw 315 mm diameter. Tilting to 45°. Depth of cut 92mm
- Fitted with Pre-Score scribing blade 86mm
- Saw/tenoning carriage - length of cut behind the blade 2500mm
- Surface planer: surface width: 310 mm, Max. cut: 4mm
- Thicknesser: Thicknessing height: 4 - 230mm, Max. cut: 5mm
- Spindle moulder: 3 speeds (4400/6800/8500 rpm)
Max. \varnothing Tool: (Fence)200mm, (Table)180mm
Supplied with JSA Ring fence as standard
- 3 x Motor 5,5 HP (4 kw) 3 phase 400v
- 3 x Motor 3,4 HP (2.5 kw) 230v
- Weight 700 kg

£5,999 excl. VAT £7,048.33 incl. VAT **230v - 16 Amp supply**



Delivery surcharge applicable

metabo 3 YEAR



ON-LINE WARRANTY
when registered within 4 weeks of purchase

OPTAL 26 - 6 Combination machine

Combined with 3 motors, the change of function is done quite simply with a selector - no need for belt changing. With this machine the project possibilities are endless, due to its high specification and professional build quality excellent results can be achieved without the need for separate machines.

£2,040 excl. VAT £2,397.00 incl. VAT

Saw diameter 250mm
Tilting to 45°
Depth of cut 82mm

Surface planer:
Surface width: 260mm
Max. cut: 4mm

Slot mortiser:
1 speed of rotation,
3 jaw chuck capacity
1 - 16mm

Spindle moulder:
Single speed 6750rpm
Max. ø Tool:
Fence 180mm
Table 150mm

Saw / tenoning carriage
length of cut behind
blade 1300mm

Thicknesser
Thicknessing
height: 4-150mm
Max. cut: 4mm

Wheel kit
included as standard

Weight 230 kg

3 x Motors 2HP (1,5 kw)
1 phase 230v



NEW



Tooling Rack

Ideal for any combination machine
Protect your investment with this practical and easy-to-use tooling and accessories storage solution. Supplied on wheels. **Please note:** Accessories are not included. Picture for illustration purposes only.

£369 excl. VAT £433.58 incl. VAT



SAR 600 - Bandsaw

- Depth of cut: 380mm
- Throat capacity: 580mm
- Diameter of wheels: \varnothing 600mm
- Table dimensions: 580 x 800mm
- Table Tilt: 20°
- Length of sawblade: 4325 / 4420mm
- Width of sawblade: 10 - 30mm
- Recommended thickness of blade: 0,6/0,7mm
- Motor 3,4HP (2.5 kw) 1 phase 230 v
- Overall dimensions L x W x H: 1060x630x2100mm
- Weight 245 kg

£2,100 excl. VAT £2,467.50 incl. VAT **230v - 16 Amp supply**

Delivery surcharge applicable

SAR 700 - Bandsaw

- Depth of cut: 440mm
- Throat capacity: 680mm
- Diameter of wheels: \varnothing 700mm
- Table dimensions: 690 x 1,000mm
- Table Tilt: 20°
- Length of sawblade: 5060 / 5190mm
- Width of sawblade: 15 - 40mm
- Recommended thickness of blade: 0,7/0,8mm
- Motor 7,5HP (5.5 kw) 3 phase 400 v
- Overall dimensions L x W x H: 1300x760x2350mm
- Weight 385 kg

£2,979 excl. VAT £3,500.33 incl. VAT

Delivery surcharge applicable





DEL 25 RLX- Panel Saw

- Saw 315 mm diameter. Tilting to 45°. Depth of cut 92mm
- Saw/tenoning carriage - length of cut behind the blade 2000mm (2500mm Optional Extra)
- Carriage support table: 1000 x 600mm plus workpiece roller
- Cutting width between blade and fence: 1250mm
- Supplied 2 x table extensions: 800 x 500mm
- Heavy-duty Rip Fence with quick action locks and micro adjustment
- 1 x Motor 5.5 HP (4 kw) 3 phase 400v
- Optional Extras available:
Pre-scoring Unit 86mm,
Mitre Fence 500 x 55mm + 1 Stop
- Weight 440 kg

£3,399 excl. VAT £3,993.83 incl. VAT

Delivery surcharge applicable



Shown with optional tilting fence

RD 31 H- Planer / Thicknesser

- Cutting width: 310 mm
- Cast iron planer tables (Infeed folding)
Total length of tables: 1480mm
- Cast iron thicknessing table with cast iron centre column
- Max. depth of cut per pass: 5 mm
- Thicknessing height: 4 mm - 230 mm
- Motor 2,5 HP (1,8 kw) 1 Phase 230 v
- Weight 240 kg

Standard Equipment:

Set of 3 resharpenable knives fitted on cutterblock
Fixed planer fence, Thicknessing table infeed extension
Dust extraction outlets: 100 mm ø

£1,499 excl. VAT £1,761.33 incl. VAT (with fixed fence)

£1,699 excl. VAT £1,996.33 incl. VAT (with tilting fence)

230v - 16 Amp supply



Standard Machine

£1,579 excl. VAT £1,855.33 incl. VAT

230v - 16 Amp supply

T 180 HZ - Spindle Moulder

- Unique frequency variator allows switching from one speed to another without the need for belt change
- 4 spindle moulding speeds:
3200 / 4350/ 5650/ 8500 rpm
- 4 sanding speeds:
800/ 1100/ 1450/ 2150 rpm
- Fixed spindle moulder, 130mm stroke
- ϕ x useful length of spindle: 30 x 120mm
(ϕ 50 optional)
- Max. ϕ Tool: (Fence)200mm, (Table)180mm
- Cast iron table: 645 x 900mm
- Motor 4 HP (3,0 kw) 1 phase 230 v
- Weight 520 kg

Standard Equipment:

- Spindle moulder fence with wood plates
- Dust extraction outlet ϕ 100mm
- Suva safety guard
- Electrical kit for connection with optional power feeder

£2,375 excl. VAT £2,790.63 incl. VAT **230v - 16 Amp supply**

Model shown with optional sliding carriage and tenoning hood

TB 1250 M - Woodturning lathe

- Rotating headstock: 0 to 90°
- Capacity between centres: 1250mm
- Capacity over bed: 200mm ϕ Max. 400mm
- Headstock spindle thread ϕ M33 x 3,5mm
- Tailstock spindle interior ϕ 8 mm
(for boring facility)
- Barrel ϕ 32 mm
- Barrel stroke 50 mm
- Barrel length 115mm
- Speeds of rotation: 450/ 900/ 1500/ 2000rpm
- Motor 1 HP (0,75 kw) 1 Phase 230v
- Weight 80 kg

Standard Equipment:

- Workstand, Tool rest holder (300mm),
- Rotating centre, drive prong centre

£725 excl. VAT £851.88 incl. VAT

Model Shown with optional Copying Attachment

Package price

£1,189 excl. VAT £1,397.08 incl. VAT





Clean '10 - Dust extractor unit

- Steel turbine and body
- Dimensions L x W x H 940 x 530 x 1650 mm
- Plastic bag capacity (Litres): 100 L
- Cloth bag filtration area: 1,22 m²
- Duct diameter: ø 100 mm
- Noise level (dB (A)): 82
- Flow rate: 1400 m³/h
- Motor 1HP (0,7 Kw) 1 Phase 230v
- Weight 36 kg

Standard Equipment:
2 M ø 100mm Suction hose,
4 x Plastic collection bags

£249 excl. VAT £292.58 incl. VAT

Clean '20 - Dust extractor unit

- Steel turbine and body
- Dimensions L x W x H 940 x 530 x 1650 mm
- Plastic bag capacity (Litres): 100 L x 2
- Cloth bag filtration area: 1,22 m² x 2
- Duct diameter: ø 180 mm
- Noise level (dB (A)): 85
- Flow rate: 3000 m³/h
- Motor 2,5HP (1,8 Kw) 1 Phase 230v
- Weight 65 kg

Standard Equipment:
4 x Plastic collection bags and reducers
(1 x 7000270216300, 1 x 7000270215700)
(Please note: Suction hose NOT supplied)

£465 excl. VAT £546.38 incl. VAT **230v - 16 Amp supply**



metabo 3 YEAR



ON-LINE WARRANTY
when registered within 4 weeks of purchase

MB 16 - Square Chisel Morticer


- Chuck capacity 13mm
- Max. Chisel capacity 6 to 16mm
- Clamping capacity 130mm
- Motor 1HP (0.37 Kw) 1 Phase 230v
- Chisel collar sizes: 3/4" (5/8" with reducer)
- Weight: 30 kg

£209 excl. VAT £245.58 incl. VAT

MB 19 - Square Chisel Morticer

- Chuck capacity 13mm
- Max. Chisel capacity 6 to 19mm
- Clamping capacity 145mm
- Motor 1HP (0.37 Kw) 1 Phase 230v
- Chisel collar sizes: 13/16" (3/4" with reducer or 5/8" with 2nd reducer)
- Weight: 82 kg

£619 excl. VAT £727.33 incl. VAT



Saw / tenoning carriage
running directly against
the blade gives a cut
of 1300mm behind the
blade



Hz Version Only.
Unique frequency variator
allows switching from one
speed to another - without
the need for a belt change.
8 x speeds of rotation on
Spindle moulder:
800/1100/1450/
2150/3200/4350/
5650/8500 rpm

Saw diameter 250mm
Tilting to 45°
Depth of cut 82mm



Surface planer:
Surface width: 310mm
Max. cut: 4mm

Supplied as standard:
with 3 x self-adjusting
knives

3 x Motors 3.4HP (2,5 kw)
1 phase 230v (SL)

3 x Motors 4HP (3 kw)
1 phase 230v (Hz - Invertor)

Spindle moulder:
3 x speeds:
4400/6800/8500rpm (SL)
Max. ø Tool:
Fence 200mm
Table 180mm

NEW

CB 310 SL Hz- 5 Combination machine


- Saw 250mm diameter. Tilting to 45°. Depth of cut 82mm
- Cast iron tables on all features
- Saw/tenoning carriage - length of cut behind the blade 1300mm
- Surface planer: surface width: 310mm, Max. cut: 4mm
- Thicknesser: Thicknessing height: 4 - 230mm, Max. cut: 5mm
- Spindle moulder:
Max. ø Tool: (Fence)200mm, (Table)180mm
Supplied with JSA Ring fence as standard
- Weight 350 kg

230v - 16 Amp supply

£3,875 excl. VAT £4,553.13 incl. VAT (CB 310 SL Hz with Invertor)

£3,269 excl. VAT £3,841.08 incl. VAT (CB 310 SL without Invertor)

Thicknesser
Thicknessing
height: 4-230mm
Max. cut: 5mm



metabo[®]
work. don't play.

metabo reserve the right to change
details or product specifications
without notice. Prices are subject
to change. Photographs are for
illustration purposes only.
Offers are available at selected
dealers whilst stocks last. E&OE.

metabo 3 YEAR



ON-LINE WARRANTY
when registered within 4 weeks of purchase

Find you local stockist at www.metabo.co.uk

Dealer Stamp

Metabo (UK) Ltd 25 Majestic Road Nursling Industrial Estate Southampton SO16 0YT Telephone: 023 8073 2000