

DEWALT®



POWER TOOLS CATALOGUE 2013

www.DEWALT.co.uk

GUARANTEED TOUGH.®

DEWALT[®]

Over 30 Years of experience

in engineering professional
construction power tools at
our in-house facility in Idstein,
Germany

Over 50 Years of experience

in designing and manufacturing
world class drilling solutions for
the construction industry at our
in-house facility in Buchlberg,
Germany

- Simulation software developed in partnership with the automotive industry
- Industry leading application-based testing facilities
- Cutting edge drilling accessories manufacture
- Award winning design

**In-house design and
manufacture ensures that the
quality of DEWALT drilling solutions
exceeds the requirements of the
most demanding professional
applications**





WHY DEWALT?

END USER RESEARCH

- On average, we speak to 20,000 users every year as part of the product development process
- A comprehensive understanding of the real applications that our users perform enables us to generate product features that are a genuine benefit to our users

INNOVATIVE PRODUCTS

- To support our users and drive our industry forward, DEWALT consistently develop truly innovative products, across multiple categories
- This technical strength is regularly recognised by international design awards



COMPLETE PROFESSIONAL QUALITY PRODUCT RANGE

- DEWALT is a full range power tool and accessories supplier for the building contractor and professional tradesman

USER LOYALTY

- The cast-iron DEWALT guarantee and premium service network ensure that our users have faith in the quality of our products. First-time buyers will become loyal DEWALT users
- DEWALT is heavily involved in end-user events across Europe - building our brand reputation, and generating huge excitement around our diverse product portfolio

SYMBOLS	3	MITRE SAWS & MACHINERY	50
CORDLESS	4	Mitre Saws	52
XR LI-ION RANGE OVERVIEW	4	Mitre Saw Attachments	52
18V XR Li-Ion	10	Table Mitre Saws	53
18V XR Li-Ion Kits	14	Leg Stands	53
10.8V XR Li-Ion	16	Flip Over Saws	54
XR Li-Ion Battery/Charger Chart	19	Flip Over Saw Attachments	54
Cordless Accessories	20	Portable Thicknesser	55
OTHER CORDLESS	24	Bandsaws	55
36V & 24V Cordless	24	Radial Arm Saws	55
18V NiCad/NiMH/Nano	26	Machinery Accessories	56
14.4V NiCad/NiMH	26	WOODWORKING	58
12V NiCad/NiMH	28	Routers	59
Battery/Charger Chart	29	Planers	60
LASERS	30	Sanders	60
Laser Summary	31	Heatguns	61
Laser Attachments	33	Plunge Saw	62
HAMMERS	34	Plunge Saw Attachments	62
Hammers	36	Circular Saws	63
Pavement Breakers	37	Jigsaws	63
Dust Management	37	Reciprocating Saws	63
Hammers Accessories	38	ALLIGATOR® Saws	63
METAL WORKING	39	Woodworking Accessories	64
Grinders	40	STORAGE	66
Polisher	41	TOUGHSYSTEM™	66
Tile Saws	41	Bags	68
DIAMOND	42	TSTAK™	68
Diamond Drilling System	42	MANUFACTURER'S	
Diamond Drills	44	GUARANTEE	70
Diamond Attachments	45	SERVICE	71
DRILLING	46	SERVICE AGENT NETWORK	72
Percussion Drills	47	PRICE LIST	74
Impact Wrenches	47		
DUST EXTRACTION	48		
Dust Extraction Attachments	49		



CHISELLING MODE

Single mode for chiselling only



TWO MODE

For rotary and hammer drilling



THREE MODE

For rotary, hammer drilling and chiselling



IMPACT MECHANISM

Uses rotary impacts to generate extremely high torque



TWO AND THREE SPEED SELECTOR

Many DEWALT tools are available with multiple speeds to offer greater control in a variety of applications



CLUTCH

Clutch protects the operator against kick back and the tool against overload should the accessory jam



KEYLESS CHUCK



QUICK CHANGE CHUCK

Ideal solution to change easily between SDS and 3 jaw chuck systems



FORWARD AND REVERSE

Forward and reverse action for screwdriving applications



1 BATTERY

Tool comes complete with 1 battery as standard



2 BATTERIES

Tool comes complete with 2 batteries as standard



3 BATTERIES

Tool comes complete with 3 batteries as standard



CARRYING CASE

Supplied with heavy duty carrying case



ACTIVE VIBRATION CONTROL

Uses floating handles, counter balance mass and other methods to increase user safety and comfort



LITHIUM ION

All cordless products are XR Li-Ion unless indicated otherwise

CORDLESS

LASERS

HAMMERS

METAL WORKING

DIAMOND

DRILLING

DUST EXTRACTION

MITRE SAWS & MACHINERY

WOODWORKING

STORAGE



THE CORDLESS

LITHIUM ION





SS XR RANGE

LITHIUM ION

4.0
AH

1.5
AH

LITHIUM ION

1.5
AH





WHY XR?

XR Li-Ion is the new cordless range from DEWALT offering eXtreme Run Time, increased efficiency and improved performance. By constantly monitoring tool and battery operation the intelligent switch module maximizes performance and prevents damage caused by overload or temperature build-up.

This helps to increase lifetime of both tool and battery. This technology combined with a tough outer casing and superb ergonomics means that XR Lithium Ion is truly Tough Outside & Intelligent Inside.

DEWALT are so confident about the design and build quality of the XR Lithium Ion range that we are offering a 3 year XR Product Warranty. This offers the peace of mind that you are choosing a system which you can rely on for years to come.

For full details on entitlement please visit www.DEWALT.eu/3

TOUGH OUTSIDE

Ergonomic rubber grip designed for comfort and control

Bright white LED with delay feature improves visibility



Battery: 1.5Ah for Compact Efficiency or 4.0Ah for eXtreme Run Time

Tough magnetic bit holder provides practicality by holding bits or screws securely



Secure belt hook for improved portability



Intelligent trigger for better application control






INTELLIGENT INSIDE



All metal gearbox increases efficiency and durability



Motor efficiency: up to 15% faster application speed and 30% more run time



INTELLIGENT SWITCH AND ELECTRONIC MODULE - STANDARD THROUGHOUT XR LI-ION RANGE

- Optimum tool efficiency
- Increased power and performance
- eXtreme Run Time
- Overload protection



Temperature monitoring prevents tool overheating

Current and voltage shut off protects battery and increases lifetime

LITHIUM ION

A NEW EFFICIENT WAY TO WORK



Intelligent Switch and Electronic Module



High Efficiency Motor



4.0Ah Battery

= EXTREME RUN TIME



LITHIUM ION

**4.0
AH**

BRUSHLESS

DCN690 - CORDLESS 90MM FRAMING NAILER - NO GAS

A standard motor contains carbon brushes which cause friction. The XR BRUSHLESS motor eliminates wasted effort maximising the runtime of the tool

EASY ADJUSTMENT

Tool-free depth adjust helps you work faster

EXTRA GRIP

Profiled nose-piece provides stable platform

EASY ACCESS

Nail jams are simple to clear with the easy access nose-piece



COMPACT SIZE

Fits easily between 400mm centre studs





FAST PROBLEM SOLVING

Tool-free stall release



EASY FAULT FINDING

Fault indicator lights communicate instantly why your nailer has failed to fire - either a low battery or a nail jam



RAPID FIRE

Unique Bump Mode function allows user to fire 2 nails per second

NAIL CAPACITY

Capable of firing 90mm ring shank nails into C24 structural timber



- LESS NOISE
- LESS RECOIL/VIBRATION
- NO STORAGE OF FLAMMABLE GASES
- NO BREATHING IN TOXIC CHEMICALS



Voltage Capacity	18V/4.0Ah
Magazine Capacity	Up to 55 nails
Magazine Angle	30 - 34 °
Weight	4.2kg
Nail Diameter	2.8 - 3.3 mm
Nail Capacity in C24 structural timber	50-90mm Ring shank
Paper collated nail type	Clipped head or offset
Impact energy	105 Joules
Nails per charge	600+

**18V 90MM FRAMING NAILER****DCN690M2**

Nail Diameter	2.8 - 3.3 mm
Magazine angle	30 - 34 °
Nail Length	50 - 90 mm
Magazine capacity	Up to 55 Nails
Firing mode	Bump & Sequential
Impact energy (EPTA 05/2009)	105 J
Temperature Range	-15 to 50 °C
Weight	4.2 kg

**18 VOLT****4.0 AH****2****BRUSHLESS****NO GAS** Fires 90mm Ring Shank Nails

LITHIUM ION

Also available as bare unit - DCN690N

18V 3 MODE SDS-PLUS HAMMER**DCH213M2**

Impact energy (EPTA 05/2009)	2.0 J
Hand/Arm Vibration	6.9 m/s2
No Load Speed	0 - 1100 rpm
Blows per Minute	0 - 4200 bpm
Max. Drilling Capacity	Wood 26 mm
	Concrete 20 mm
Weight	3.2 kg

**18 VOLT****4.0 AH****2**

Supplied with side handle

Also available DCH214M2 with Quick Change Chuck

**18V XRP 3 SPEED HAMMER DRILL****DCD985M2**

No Load Speed	0- 575 / 0 - 1350 / 0 - 2000 rpm
Beats per Minute	0 - 9755 / 0- 22950 / 0 - 34000 bpm
Max Torque	80 Nm
Max. Drilling Capacity	Wood 50 mm
	Metal 13 mm
	Masonry 16 mm
Weight	2.42 kg

**18 VOLT****4.0 AH****2**

Supplied with side handle



18V XRP 3 SPEED DRILL DRIVER

DCD980M2

No Load Speed	0 - 575/ 0 - 1350/ 0 - 2000 rpm
Max. Torque	80 Nm
Max. Drilling Capacity	Wood 50 mm Metal 13 mm
Weight	2.4 kg



LITHIUM ION



18V COMPACT HAMMER DRILL

DCD785M2

No Load Speed	0 - 600/ 0 - 2000 rpm
Beats per Minute	0 - 10200 / 0 - 34000
Max. Torque	60 Nm
Max. Drilling Capacity	Wood 38 mm Metal 13 mm Masonry 13 mm
Weight	1.88 kg



LITHIUM ION



Also available with 1.5Ah batteries - DCD785C2. Also available as bare unit - DCD785N

18V COMPACT DRILL DRIVER

DCD780M2

No Load Speed	0 - 600 / 2000 rpm
Max. Torque	60 Nm
Max. Drilling Capacity	Wood 38 mm Metal 13 mm
Weight	1.84 kg



LITHIUM ION



Also available with 1.5Ah batteries - DCD780C2

18V HIGH TORQUE WRENCH

DCF889M2

Bit Holder	1/2" (12.7mm)
No Load Speed	0 - 1500 rpm
Impacts per Minute	0 - 2300 ipm
Max. Torque	418 Nm
Max. Bolt Diameter	M20
Weight	3.4 kg



LITHIUM ION



Also available as bare unit - DCF889N

18V COMPACT IMPACT WRENCH

DCF880M2

Bit Holder	1/2" (12.7mm)
No Load Speed	0 - 2300 rpm
Impacts per Minute	0 - 2700 ipm
Max. Torque	203 Nm
Max. Bolt Diameter	M16
Weight	1.54 kg



LITHIUM ION



Also available as bare unit - DCF880N

18V COMPACT IMPACT DRIVER

DCF885M2

Bit Holder	1/4" (6.35mm)
No Load Speed	0 - 2800 rpm
Impacts per Minute	0 - 3200 ipm
Max. Torque	155 Nm
Max. Bolt Diameter	M12
Weight	1.6 kg



LITHIUM ION



Also available with 1.5Ah batteries - DCF885C2

**18V BRUSHLESS 3 SPEED IMPACT DRIVER****DCF895M2**

Bit Holder	1/4" (6.35mm)
No Load Speed	0 - 950/0 - 1900 / 0 - 2850 rpm
Impacts per Minute	0 - 1300 / 0 - 2400 / 0 - 3300 ipm
Max Torque	170 Nm
Max. Bolt Diameter	M12
Weight	1.7 kg

**BRUSHLESS**

Also available as bare unit DCF895N

18V HEAVY DUTY JIGSAW**DCS331M2**

No Load Stroke Rate	0 - 3000 spm
Stroke Length	26 mm
Bevel Capacity	45 °
Max. Depth of Cut	Wood 135 mm Metal 10 mm
Weight	3.1 kg



Also available as bare unit - DCS331N

18V HEAVY DUTY CIRCULAR SAW**DCS391M2**

Blade Diameter	165 x 20 mm
No Load Speed	3700 rpm
Bevel Capacity	50 °
Max. Depth of Cut at 90°	55 mm
Max. Depth of Cut at 45°	42.1 mm
Weight	3.8 kg



Also available as bare unit - DCS391N

18V 125MM GRINDER**DCG412M2**

Max. Disc Diameter	125 mm
No Load Speed	7000 rpm
Spindle Thread	M14
Weight	2.9 kg



Also available as bare unit - DCG412N

18V HEAVY DUTY RECIPROCATING SAW**DCS380M2**

No Load Stroke Rate	0 - 2950 spm
Stroke Length	28.6 mm
Weight	3.3 kg



Also available as bare unit - DCS380N



18V METAL CUTTING CIRC SAW

DCS373M2

Blade Diameter	140 x 20 mm
Power Output	460 watts
No Load Speed	3700 rpm
Max. Depth of Cut at 90°	43 mm
Weight	3.8 kg



LITHIUM ION
Also available as bare unit - DCS373N

18V RIGHT ANGLE DRILL

DCD740C1

No Load Speed	0 - 650 0 - 2000 rpm
Max. Torque	33 Nm
Max. Drilling Capacity	Wood 28 mm Metal 10 mm
Weight	1.75 kg



LITHIUM ION
Also available as bare unit - DCD740N

18V PIVOT WORK LIGHT

DCLO40



LITHIUM ION
Supplied without battery

18V 1.5AH BATTERY PACK

DCB181



LITHIUM ION

10.8V, 14.4V, 18V MULTI VOLTAGE XR LI-ION CHARGER

DCB105



LITHIUM ION

10.8V, 14.4V, 18V MULTI VOLTAGE XR LI-ION CAR CHARGER

DCB119



LITHIUM ION

18V 4.0AH BATTERY PACK

DCB182

Battery Capacity	4.0 Ah
Voltage	18 V
Compatible with	All 18V XR Li-Ion DeWALT tools
Weight	0.61 kg

33% MORE RUNTIME BATTERY CHARGE INDICATOR



LITHIUM ION





18V COMPACT COMBI & BRUSHLESS IMPACT DRIVER KIT

DCK285M2B

- DCD785 2 Speed Combi
- DCF895 Brushless Impact Driver
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ Kit Box



LITTONHORN.COM

TOUGHSYSTEM™

BRUSHLESS

18 VOLT

4.0 AH

2



Also available as non-brushless version - DCK285M2

18V XRP 3 SPEED COMBI & BRUSHLESS IMPACT DRIVER KIT

DCK290M2B

- DCD985 3 Speed Combi
- DCF895 Brushless Impact Driver
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ Kit Box



LITTONHORN.COM

TOUGHSYSTEM™

BRUSHLESS

18 VOLT

4.0 AH

2



Also available as non-brushless version - DCK290M2



18V XRP 3 SPEED COMBI & GRINDER KIT

DCK293M2

- DCD985 3 Speed Combi
- DCG412 Grinder
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS300 TOUGHSYSTEM™ Kit Box



LITTONUM 8006

18 VOLT **4.0 AH** **2** **TOUGHSYSTEM™**

18V 3 PIECE KIT (2 SPEED)

DCK381M2

- DCD785 Compact combi
- DCG412 Grinder
- DCF895 Brushless impact Driver
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS300 TOUGHSYSTEM™ Kit Box



LITTONUM 8006

18 VOLT **4.0 AH** **2** **TOUGHSYSTEM™**
BRUSHLESS

18V 5 PIECE KIT (2 SPEED)

DCK591M3

- DCD785 Compact Hammer Drill
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCS380 Reciprocating Saw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ Kit Box
- DS300 TOUGHSYSTEM™ Kit Box



LITTONUM 8006

18 VOLT **4.0 AH** **3** **TOUGHSYSTEM™**

18V 6 PIECE KIT (2 SPEED)

DCK691M3

- DCD785 Compact Hammer Drill
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCG412 Grinder
- DCS331 Jigsaw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- 2 x DS300 TOUGHSYSTEM™ Kit Box



LITTONUM 8006

18 VOLT **4.0 AH** **3** **TOUGHSYSTEM™**

18V 6 PIECE KIT (3 SPEED)

DCK692M3

- DCD985 3 Speed Combi
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCG412 Grinder
- DCS331 Jigsaw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- 2 x DS300 TOUGHSYSTEM™ Kit Box



LITTONUM 8006

TOUGHSYSTEM™
18 VOLT **4.0 AH** **3**



10.8V DRILL DRIVER

DCD710S2

No Load Speed	0 - 400/ 0 - 1500 rpm
Max. Torque	24 Nm
Max. Drilling Capacity	Wood 19 mm Metal 10 mm
Weight	1.1 kg



Also available as bare unit DCD710N

10.8V DRILL DRIVER & IMPACT DRIVER TWIN PACK

DCZ211S2R

- DCD710 Drill Driver
- DCF815 Impact Driver
- 2 x 1.5Ah batteries
- 10.8V Charger
- Organiser case



LITHIUM ION



10.8V IMPACT DRIVER

DCF815S2

Bit Holder	3/8" (9.5mm)
No Load Speed	0 - 2450 rpm
Impacts per Minute	3400 ipm
Max. Torque	130 Nm
Max. Bolt Diameter	6 mm
Weight	1.04 kg



Also available as bare unit - DCF815N

10.8V SCREWDRIVER

DCF610S2

Bit Holder	1/4" (6.35mm)
No Load Speed	0 - 1050 rpm
Max Torque	8 Nm
Weight	0.96 kg



Also available as bare unit - DCF610N

10.8V MINI RECIP SAW

DCS310S2

No Load Stroke Rate	0 - 2700 spm
Stroke Length	14 mm
Weight	1.4 kg



Also available as bare unit - DCS310N

10.8V IMPACT WRENCH

DCF813S2

Bit Holder	3/8" (9.5mm)
No Load Speed	0 - 2450 rpm
Impacts per Minute	3400 ipm
Max. Torque	130 Nm
Max. Bolt Diameter	6 mm
Weight	1.04 kg



Also available as bare unit - DCF813N

10.8V IR THERMOMETER

DCT414S1

Screen Size	36 mm
Temperature Range	-29°C to 500°C
Accuracy	± 1.5°C or ± 1.5%, whichever is greater °
Weight	0.5 kg



Also available as bare unit - DCT414N

10.8V LED TORCH

DCL510N


Bulb Type	LED
-----------	-----



Supplied without battery

**10.8V IMAGING THERMOMETER****DCT416S1**

Screen Size	56 mm
Temperature Range	-10°C to 250°C
Accuracy	Below 100°C ± 2°C, above 100°C ± 2% of reading °
Data Storage	Micro SD Card
Weight	0.56 kg

UNIQUE IMAGE BLEND FUNCTION**10.8V 1.5AH BATTERY PACK****DCB123**

Features	Li-Ion slide pack technology
Compatible with	All 10.8V DEWALT Tools
Weight	0.2 kg

**10.8V CHARGER****DCB100**

Battery chemistry	Li-Ion
Charging Time	40 min
Weight	0.3 kg

**CAMERA CABLE**

CAT. NO.	DESCRIPTION
DCT4101	17mm Camera with Cable
DCT4102	9mm Camera with Cable
DCT4103	0.9m Cable Extension
DCT4105	5.8mm Camera with Cable





10.8V INSPECTION CAMERA

DCT410S1

Cable Diameter	17 mm
Cable Length	900 mm
Waterproof cable	Yes
Screen Size - Removeable Wireless	89 mm
Zoom	3 x
Data Storage - Photo & Video	Micro SD Card
Weight	1.0 kg



LITHIUM ION

Also available as bare unit – DCT410N

XR LI-ION BATTERY/CHARGER CHART

LITHIUM ION



DCB182
18V 4.0Ah Li-Ion



DCB181
18V 1.5Ah Li-Ion



DCB123
10.8V 1.5Ah Li-Ion








	DCB105 18V & 10.8V CHARGER	DCB100 10.8V CHARGER	DCB119 IN CAR CHARGER
DCB182	✓		✓
DCB181	✓		✓
DCB123	✓	✓	✓



DEWALT NAIL RANGE - EUROCODE 5 (EC5) CERTIFIED

BY JULY 2013, ANY JOBSITE WHICH DOES NOT COMPLY WITH EC5 REGULATIONS WILL BE IN BREACH OF EUROPEAN LAW

SKU Code	Description	Service Class	Quantity of Nails	Paslode
DT99528RB-QZ	Bright Finish Ring Shank 2.8x50mm 	1	2200	141202
DT99628RB-QZ	Bright Finish Ring Shank 2.8x63mm 	1	2200	141258/141208
DT99728RB-QZ	Bright Finish Ring Shank 2.8x75mm 	1	2200	141226
DT99931RB-QZ	Bright Finish Ring Shank 3.1x90mm 	1	2200	-
DT99528RG-QZ	Galv Ring Shank 2.8x50mm 	2	2200	142062/142007
DT99628RG-QZ	Galv Ring Shank 2.8x63mm 	2	2200	142063/142013
DT99728RG-QZ	Galv Ring Shank 2.8x75mm 	2	2200	-
DT99931RG-QZ	Galv Ring Shank 3.1x90mm 	2	2200	142038
DT99528RH-QZ	HotDip Galv Ring Shank 2.8x50mm 	3	1100	-
DT99628RH-QZ	HotDip Galv Ring Shank 2.8x63mm 	3	1100	141260/141211
DT99708RH-QZ	HotDip Galv Ring Shank 2.8x70mm 	3	1100	-
DT99731RH-QZ	HotDip Galv Ring Shank 3.1x75mm 	3	1100	141265
DT99931RH-QZ	HotDip Galv Ring Shank 3.1x90mm 	3	1100	-
DT99628RS-QZ	S Steel Ring Shank 2.8x63mm 	3	1100	142047
DT99628PB-QZ	Bright Fin Smooth Shank 2.8x63mm 	1	2200	-
DT99931PB-QZ	Bright Fin Smooth Shank 3.1x90mm 	1	2200	141233/141242
DT99628PG-QZ	Galv Smooth Shank 2.8x63mm 	2	2200	-
DT99931PG-QZ	Galv Smooth Shank 3.1x90mm 	2	2200	141234



Why is Eurocode 5 certification important?

Eurocode 5 regulations apply a performance standard to the type of nails used in timber framing or roofing.

EC5 Nails fall into 3 service classes:

Service Class 1 - Heated indoor environment

Service Class 2 - Unheated indoor environment/protected outdoor environment

Service Class 3 - Unprotected outdoor environment or exposed to weather

DEWALT Nails fully comply with EC5 regulations - and each box is clearly marked and colour coded according to service class



GUARANTEED TOUGH.®

Contact your local stockist for information.



NAILS MADE IN GERMANY



NAILS TO FIT DCN690

APPLICATIONS

- 1st Fix nails.
- Suitable for roofing timbers, fascias, panelling, decking and fencing.

FEATURES

- Eurocode 5 rated.
- Clipped head design.
- Heat activated tips.
- Paper tape.
- Premium quality.
- Will fit selected other manufacturers first fix nail guns

NAILS FOR 1st FIX CORDLESS NAILERS (34°) TO FIT DCN690

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT99528RB-QZ	Bright Finish Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	2200	1	£50.57	€60.19
DT99628RB-QZ	Bright Finish Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£54.03	€64.31
DT99728RB-QZ	Bright Finish Ring Shank 2.8 x 75mm Nails	Angled 34°	2.8	75	2200	1	£60.03	€71.46
DT99931RB-QZ	Bright Finish Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£73.33	€87.29
DT99528RG-QZ	Galvanised Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	2200	1	£61.67	€73.40
DT99628RG-QZ	Galvanised Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£70.00	€83.32
DT99728RG-QZ	Galvanised Ring Shank 2.8 x 75mm Nails	Angled 34°	2.8	75	2200	1	£76.67	€91.25
DT99931RG-QZ	Galvanised Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£90.00	€107.13
DT99528RH-QZ	Hot Dip Galvanised Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	1100	1	£73.33	€87.29
DT99628RH-QZ	Hot Dip Galvanised Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	1100	1	£78.33	€93.24
DT99731RH-QZ	Hot Dip Galvanised Ring Shank 3.1 x 75mm Nails	Angled 34°	3.1	75	1100	1	£86.67	€103.16
DT99931RH-QZ	Hot Dip Galvanised Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	1100	1	£116.67	€138.87
DT99628RS-QZ	Stainless Steel Ring Shank 2.8 x 63mm	Angled 34°	2.8	63	1100	1	£157.20	€187.11
DT99628PB-QZ	Bright Finish Smooth Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£53.17	€63.28
DT99931PB-QZ	Bright Finish Smooth Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£75.00	€89.27
DT99628PG-QZ	Galvanised Smooth Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£66.93	€79.67
DT99931PG-QZ	Galvanised Smooth Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£83.33	€99.19



NAILS TO FIT DC618

NAILS FOR CORDLESS FINISHING NAILERS (16 GAUGE 20°) TO FIT DC618

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT9900-QZ	Galvanised	Angled 20°	1.39 x 1.61	32	2500	1	£26.74	€31.83
DT9901-QZ	Galvanised	Angled 20°	1.39 x 1.61	38	2500	1	£30.08	€35.80
DT9902-QZ	Galvanised	Angled 20°	1.39 x 1.61	44	2500	1	£31.19	€37.12
DT9903-QZ	Galvanised	Angled 20°	1.39 x 1.61	50	2500	1	£33.41	€39.77
DT9904-QZ	Galvanised	Angled 20°	1.39 x 1.61	63	2500	1	£37.86	€45.07
DT9910-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	32	2500	1	£80.22	€95.48
DT9911-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	38	2500	1	£93.57	€111.37
DT9912-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	44	2500	1	£106.96	€127.31
DT9913-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	50	2500	1	£115.85	€137.90
DT9914-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	63	2500	1	£142.59	€169.73



**EXTREME DeWALT IMPACT SETS****APPLICATIONS**

- For all heavy duty screwdriving applications.



Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT70501B-QZ	29	Ph1, Ph2x6, Ph3, Pz1, Pz2x6, Pz3, T10, T15, T20x3, T25x2, T30x1, Ph2x50mm, Pz2x50mm, 8mm Hex, 10mm Hex, Magnetic Holder	1	£48.78	€58.06
DT70502B-QZ	26	Metal Drill Bits: 3, 4, 5, 6, 8mm, Ph1, Ph2x6, Ph3, Pz1, Pz2x6, Pz3, Ph2x50mm, Pz2x50mm, Magnetic Holder	1	£75.39	€89.73

DeWALT IMPACT RATED SOCKET SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT7506-QZ	17	Impact Socket Set (6,8,10,11,12,13,14,16,17,18,19,20,21,22,24,27mm & 1/4" to 1/2" Adaptor)	1	£189.44	€225.48
DT7507-QZ	9	Impact Socket Set (10,13,15,17,19,22,24,27mm & 1/4" to 1/2" Adaptor)	1	£103.33	€122.99
DT7512-QZ	1	1/4" to 1/2" Impact Driver Adaptor	1	£19.98	€23.78

DRILLING ACCESSORY SETS - MASONRY**MASONRY DRILL BIT SETS**

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6952-QZ	5	4,5,6,8,10mm	1	£8.71	€10.36

**EXTREME DeWALT® MASONRY DRILL BIT SETS**


Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6956-QZ	5	4,5,6,8,10mm	1	£13.11	€15.60
DT7928B-QZ	19	Masonry drill bits. 4,5,5.5,6,7,8mm Ph2x4, Pz2x4, Ph2x50mm, Pz2x50mm, Slotted 5.5x50mm, Magnetic holder, Magnetic drive guide.	1	£57.65	€68.62

**SDS-PLUS EXTREME DeWALT® 2 DRILL BIT SETS**

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT9700-QZ	4	5,6,8,10mm	1	£22.44	€26.71
DT9701-QZ	7	5,6x2,8x2,10,12mm	1	£43.64	€51.94
DT9702-QZ	4	5,5,7,8,10mm	1	£18.70	€22.25



DRILLING ACCESSORY SETS - METAL



EXTREME DeWALT® 2 METAL DRILL BIT SETS


Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT7920B-QZ	13	Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm	1	£53.21	€63.34
DT7921B-QZ	13	Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm	1	£59.89	€71.28
DT7926-XJ	29	Metal drill bits 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm	1	£142.08	€169.11

CORDLESS CIRCULAR SAW BLADE



FEATURES

- Heavy duty tungsten carbide tips maintain cutting edge for longer blade life.
- Thin kerf blade design - yields more cuts per charge by minimising battery drain.
- Triple action sharpening process which grinds the tip to a razor sharp edge for a smooth finish.
- Specifically designed for use with DeWALT Cordless Trimsaws. The range comprises of blades for cutting wood and for cutting plastic & non-ferrous metals.



CORDLESS CIRCULAR SAW BLADE

Cat. No.	Diameter /Bore	Plate/ Kerf	Teeth	Grind	Rake	General Purpose	UK LIST PRICE	IRE LIST PRICE
DT1209-QZ	165/20	1.5	24	ATB	+20°	●	£45.32	€53.94

WOOD & METAL CUTTING JIGSAW BLADE SETS



T-SHANK

Cat. No.	Description	Contents	UK LIST PRICE	IRE LIST PRICE
DT2290-QZ	10 piece jigsaw kit - wood cutting	DT2165 x 2, DT2050 x 1, DT2168 x 1, DT2177 x 2, DT2166 x 2, DT2075 x 2 (Bosch equivalent T101B, T119B0, T101A0, T111C, T144D, T144DP)	£19.70	€23.45
DT2292-QZ	10 piece jigsaw kit - metal cutting	DT2160 x 3, DT2172 x 2, DT2054 x 1, DT2161 x 2, DT2163 x 2 (Bosch equivalent T118A, T118G, T118E0F, T118B, T127D)	£19.70	€23.45
DT2294-QZ	10 piece jigsaw kit - wood/metal cutting	DT2165 x 2, DT2050 x 2, DT2163 x 2, DT2177 x 2, DT2160 x 2 (Bosch equivalent T101B, T119B0, T127D, T111C, T118A)	£19.70	€23.45

RECIPROCATING SAW BLADE SETS



RECIPROCATING SAW BLADE SETS

Cat. No.	Description	Contents	UK LIST PRICE	IRE LIST PRICE
DT2440-QZ	6 piece set and storage case	DT2307 x 2, DT2349 x 2, DT2353 x 2	£32.96	€39.23
DT2441-QZ	12 piece set and storage case	DT2307 x 1, DT2349 x 3, DT2359 x 2, DT2353 x 3, DT2361 x 3	£49.44	€58.85



36V 3 MODE SDS-PLUS HAMMER

DC234KL

DC234KL	
Impact energy (EPTA 05/2009)	2.1 J
Blows per Minute	0 - 4300 bpm
Hand/Arm Vibration	8.5 m/s2
Max. Wood	30 mm
Drilling Metal	13 mm
Capacity Concrete	26 mm
Weight	3.8 kg



D25302DH

Integrated Dust Extraction

LITHIUM ION **36 VOLT** **AVC** ACTIVE VIBRATION CONTROL

36V HAMMER DRILL

DC901KL

No Load Speed	0 - 400 / 0 - 1200 / 0 - 1600 rpm
Beats per Minute	0 - 6800 / 0 - 20400 / 0 - 27200 bpm
Max Torque	42 Nm
Max. Wood	65 mm
Drilling Metal	13 mm
Capacity Masonry	16 mm
Weight	3.0 kg



LITHIUM ION **36 VOLT**

36V CIRC SAW

DC300KL

Blade Diameter	184 mm
No Load Speed	4000 rpm
Bevel Capacity	50°
Max. Depth of Cut at 90°	62 mm
Max. Depth of Cut at 45°	41 mm
Weight	4.49 kg



LITHIUM ION **36 VOLT**

Also available as bare unit - DC901KN



36V JIGSAW

DC308KL

No Load Stroke Rate	0 - 2700 spm	
Stroke Length	26 mm	
Bevel Capacity	45°	
Max. Drilling Capacity	Wood	130 mm
	Metal	10 mm
Weight	3.4 kg	



LITHIUM ION **36 VOLT**

36V GRINDER

DC415KL

Max. Disc Diameter	125 mm
No Load Speed	6500 rpm
Spindle Thread	M14
Weight	3.5 kg



LITHIUM ION **36 VOLT**

Also available as bare unit - DC415KN

36V RECIP SAW

DC305KL

No Load Stroke Rate	0 - 3000 spm	
Stroke Length	29 mm	
Weight	3.81 kg	



LITHIUM ION **36 VOLT**

Also available as bare unit - DC305KN

36V HIGH TORQUE WRENCH

DC800KL

Bit Holder	1/2"
No Load Speed	1400 rpm
Impacts per Minute	2500 ipm
Max. Torque	440 Nm
Max. Bolt Diameter	M20
Weight	3.4 kg



LITHIUM ION **36 VOLT**

36V TORCH

DC509

Bulb Type	Xenon
Weight (incl. battery)	0.52 g



LITHIUM ION **36 VOLT**

Supplied without batteries

24V 3 MODE SDS-PLUS HAMMER

DC223KA

Impact energy (EPTA 05/2009)	2.0 J	
No Load Speed	0 - 1100 rpm	
Hand/Arm Vibration	8.5 m/s2	
Max. Drilling Capacity	Wood	30 mm
	Metal	13 mm
	Concrete	26 mm
Blows per Minute	0 - 4200 bpm	
Weight	3.8 kg	



AVC ACTIVE VIBRATION CONTROL **NiCd**

**18V NICAD/NIMH/NANO**

CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
DC618KB	18V 16 Gauge cordless nailer, 2 x 2.6Ah NiMH, charger, kitbox	DC385N	18V Reciprocating Saw Bare Unit
DCD925B2	18V XRP Hammer Drill, 2 x 2.6Ah NiMH, charger, kitbox	DC411N	18V 125mm Grinder Bare Unit
DC727N	18V Compact Hammer Drill Bare Unit	DC520N	18V Drywall Gun Bare Unit
DC212N	18V SDS Hammer Bare Unit	DC500	18V AC/DC Wet & Dry Vacuum Bare Unit
DC827N	18V Compact Impact Wrench Bare Unit	DC515N	18V Handheld Wet & Dry Vacuum Bare Unit
DC822N	18V Compact Impact Driver Bare Unit	DC020	18V Area Light Bare Unit
DC330N	18V Jigsaw Bare Unit	DC527N	18V Fluorescent Light Bare Unit
DC390N	18V Circular Saw Bare Unit	DW919	18V Flexible Flashlight Bare Unit
		DW908	18V Flashlight Bare Unit

These batteries fit the illustrated products

DE9180**DE9096****DE9503**

DC212N *



DC618KB



DCD925B2



DC727N *

14.4V NICAD/NIMH

CAT. NO.	DESCRIPTION
DCD935B2	14.4V XRP Hammer Drill, 2 x 2.6Ah NiMH, charger, kitbox
DC735KA	14.4V Compact Combi, 2 X 2.0Ah NiCad, charger, kitbox
DC835KB	14.4V Compact Impact Driver, 2 X 2.6Ah NiMH, charger, kitbox
DC733KA	14.4V Compact Drill Driver 1.3Ah NiCad, charger, kitbox
DC528N	14.4V Fluorescent Light Bare Unit
DW918	14.4V Flexible Flashlight Bare Unit
DW906	14.4V Flashlight Bare Unit

These batteries fit the illustrated products opposite

DE9091**DE9094**

DCD935B2



DC735KA

* Supplied without batteries



DC827N *



DC822N *



DC330N *



DC390N *



DC385N *



DC411N *



DC520N *



DC500 *



DC020 *

DC0213
Replacement 38W
bulb for DC020



DW919 *



DC527N *



DW908 *



DC515N *



DC835KB



DC733KA



DC528N *



DW918 *



DW906 *

* Supplied without batteries



12V NiCAD/NiMH

CAT. NO.	DESCRIPTION
DC745KA	12V Compact Combi, 2 x 2.0 Ah NiCad, charger, kitbox
DC740KA	12V Compact Drill Driver, 2 x 1.3 Ah NiCad, charger, kitbox
DW965K	12V Right Angle Drill, 1 x 2.0 Ah NiCad, charger, kitbox
DW979K2	12V Drywall Gun, 1 x 2.0 Ah NiCad, charger, kitbox
DC528N	12V Fluorescent Light Bare Unit
DW904	Flash Light Bare Unit



* Supplied without batteries



BATTERY/CHARGER CHART



Amp Hours 1 HOUR 1 HOUR 40 MINUTES 1 HOUR

NICAD		Amp Hours		DE9000	DE0246	DE9135	DE9136
DE9096 		12V DE9074 1.3 Ah	12V DE9071 2.0 Ah			✓	✓
		14.4V DE9094 1.3 Ah	14.4V DE9091 2.0 Ah			✓	✓
		18V DE9098 1.3 Ah	18V DE9095 2.0 Ah			✓	✓
		24V DE0243 2.0 Ah			✓	✓	✓

NiMH		Amp Hours		DE9000	DE0246	DE9135	DE9136
DE9503 		14.4V DE9502 2.6 Ah				✓	✓
		18V DE9503 2.6 Ah				✓	✓

NANO Li-Ion		Amp Hours		DE9000	DE0246	DE9135	DE9136
DE9180 DE9360 		18V DE9180 2.0 Ah				✓	✓
		36V DE9360 2.0 Ah		✓			



LASERS





To help you choose the right laser - please consider the following • Manual or self levelling • Laser functions • Working inside or outside • Working range/distance



Self Level

DW079PKH

DW075PK

DW074K

DW096

DW089K

DW088K

DW084K

DW082K

	Horizontal Levelling	Interior	●	●	●		●	●	●	
		Exterior	●	●	●	●	○	○	○	
	Vertical Alignment	Interior	●	●	●		●	●	●	●
		Exterior	●	●	●		○	○	○	○
	Face Square	Interior					●	●		
		Exterior								
	Level & Square	Interior					●		●	
		Exterior					○		○	
	90° Square	Interior					●			
		Exterior								
	Vertical & Square	Interior	●	●	●		●	●	●	
		Exterior								
	Vertical Transfer	Interior	○	○	○		●	○	●	●
		Exterior								
	Angle Transfer	Interior & Exterior				●				
		Interior								
	Angle Setting	Interior								
		Exterior								
	Distance Estimation	Interior								
		Exterior				●				
	Optimum Working Range	Visible working range (m)	30	15	15	100	15	10	25	15
		Working range with detector (m)	300	300	300	N/A	50	50	N/A	N/A

*Optimum working range is based upon well illuminated areas and without aids. The optimum range can be exceeded in certain light conditions

● Gold Choice

○ Silver Choice

**CROSS LINE LASER****DW088K**

Levelling accuracy	+/-0.3 mm/m
Direction of beams	vertical / horizontal
Indoor Visibility Range	10 m
Power source	AA batteries
Self-Levelling Range	+/- 4 °
Tripod connection	1/4"



Also available with detector for exterior applications - DW088KD

**DW0892**
Detector for DW088/089**MULTI LINE LASER****DW089K**

Levelling accuracy	+/-0.3 mm/m
Number of beams	3
Direction of beams	vertical/ horizontal/ side
Self-Levelling Range	+/- 4 °
Power source	AA batteries
Indoor Visibility Range	15 m
Tripod connection	1/4"



Also available with detector for exterior applications - DW089KD

**PLUMB BOB****DW082K**

Levelling Accuracy	+/-0.2 mm/m
Self-levelling range	+/- 4 °
Indoor Visibility Range	15 m
Power Source	AA batteries
Tripod connection	1/4"

**4 DOT BEAM LASER POINTER****DW084K**

Levelling Accuracy	+/-0.2 mm/m
Number of beams	4
Direction of beams	vertical/ horizontal/ square
Self-levelling range	+/- 4 °
Indoor Visibility Range	25 m
Power source	AA batteries
Tripod connection	1/4"

**40M LASER DISTANCE MEASURE****DW040P**

Levelling Accuracy	+/- 3 mm/m
Indoor Visibility Range	40 m
Power source	AA batteries





AUTO LEVEL KIT

DW096PK

Levelling Type	Auto
Magnification	26x
Accuracy	2 mm
Range	100 m
Stadia Ratio	1:100



HORIZONTAL SELF LEVELLING ROTARY LASER

DW074K

Levelling accuracy	+/-0.2 mm/m
Self-Levelling Range	+/- 5 °
Indoor Visibility Range	15 m
Power Source	D cell batteries
Max. Working Range with Receiver	100 m
Rotation speed	0, 60, 600 rpm
Tripod connection	5/8"



Manual levelling in vertical (alkaline battery)

HORIZONTAL & VERTICAL SELF LEVELLING ROTARY LASER

DW075PK

Levelling Accuracy	+/-0.2 mm/m
Self-levelling range	+/- 5 °
Indoor Visibility Range	15 m
Power Source	D cell batteries
Max. Working Range with Receiver	100 m
Rotation speed	0, 60, 600 rpm
Tripod connection	5/8"



HORIZONTAL & VERTICAL SELF LEVELLING ROTARY LASER KIT

DW079PKH

Levelling Accuracy	+/-0.1 mm/m
Self-levelling range	+/- 5 °
Indoor Visibility Range	30 m
Max. Working Range with Receiver	300 m
Sloping range in X and Y axis	+/- 5 °
Power Source	9.6V - 18V NiCd/ NIMH/Li-Ion Nano DeWALT batteries
Tripod connection	5/8"



LASER ATTACHMENTS

CAT. NO.	DESCRIPTION
DE0730	Laser target card
DE0734	Grade rod
DE0735	Laser Tripod elevated
DE0736	Laser Tripod
DE0737	Grade rod
DE0772	Detector
DE0881	Tripod
DE0882	Pole



DE0730



DE0735



DE0881



DE0737



DE0772



DE0736




DEWALT's hammer design philosophy is to provide our customers with the most durable, powerful, safest and comfortable tools.

HAMMERS

DURABILITY - GERMAN DESIGN & ENGINEERING


All DEWALT hammers meet the most stringent expectations of the professional end user and deliver best in class life. DEWALT hammers undergo a range of extensive tests to ensure that every product meets the most demanding tasks in the most punishing jobsite conditions.



if INNOVATIVE FEATURES

Innovation is the key in the DEWALT hammer range. This has been recognised by the industry as DEWALT hammers have won numerous awards in recent years, such as the international IF award for excellence in design standards.

DEWALT - THE LEADING FORCE IN HAMMERS



LOWEST VIBRATION, HIGHEST PRODUCTIVITY



Using unique anti-vibration systems, the 6kg, 7kg, 10kg, 16kg and 30kg hammers reduce vibration to a new low level on the market allowing the user to work for longer periods of time increasing productivity, comfort and safety.



Counter Balance System: A spring loaded counterbalance mass oscillates in the opposite direction to the source of vibration forces, absorbing them before reaching the users hands. This revolutionary system reduces tri-axial vibration levels by up to 30%.



Floating Handle System: This has been designed to completely "suspend" the back handle from the main house, achieving the highest vibration reduction possible.



CORDLESS INNOVATION

The DeWALT cordless SDS hammer range is constantly evolving. Offering solutions in the 36V and 18V platforms, DeWALT cordless SDS hammer users have a tool for all cordless hammer applications. See pages 10 & 24.



Their extremely comfortable and ergonomic design coupled with Active Vibration Control allows users to benefit from the advantages of a cordless tool without losing comfort or power.



COMPLETE TORQUE CONTROL


The Complete Torque Control offers a patented two step clutch system. This system allows the tool to operate safely at both low and high torque settings, depending on the application.



90% of all Applications



Clutch Setting #1 Maximum Control 40Nm Torque



Clutch Setting #2 Maximum Control 80Nm Torque



The unique spring loaded system de-couples the internal mechanism, from the external housings resulting in extremely low vibration levels.



26MM 3 MODE SDS-PLUS HAMMER

D25123K

Power Input	800 watts
No Load Speed	0 - 1150 rpm
Blows per Minute	0 - 4300 bpm
Impact energy (EPTA 05/2009)	2.8 J
Hand/Arm Vibration	17.8 m/s ²
	Wood 30 mm
	Metal 13 mm
Max. Drilling Capacity	Concrete 26 mm
	Core bit 65 mm
Weight	2.42 kg



22MM 3 MODE SDS-PLUS HAMMER

D25013K

Power Input	650 watts
No Load Speed	0 - 1550 rpm
Blows per Minute	0 - 4550 bpm
Impact energy (EPTA 05/2009)	1.8 J
Hand/Arm Vibration	11.0 m/s ²
	Wood 30 mm
	Metal 13 mm
Max. Drilling Capacity	Concrete 22 mm
	Core bit 50 mm
Weight	2.3 kg



26MM 3 MODE LOW VIBRATION SDS-PLUS HAMMER

D25323K

Power Input	800 watts
No Load Speed	0 - 1150 rpm
Blows per Minute	0 - 4300 bpm
Impact energy (EPTA 05/2009)	2.8 J
Hand/Arm Vibration	10.5 m/s ²
	Wood 30 mm
	Metal 13 mm
Max. Drilling Capacity	Concrete 26 mm
	Core bit 65 mm
Weight	2.3 kg


AVC
ACTIVE VIBRATION CONTROL

32MM 3 MODE SDS-PLUS MULTI DRILL KIT

D25405K

Power Input	900 watts
No Load Speed	0 - 730 rpm
Blows per Minute	0 - 4100 bpm
Impact energy (EPTA 05/2009)	4.2 J
Hand/Arm Vibration	14.5 m/s ²
	Wood 40 mm
	Metal 16 mm
Max. Drilling Capacity	Concrete 6 - 32 mm
	Core bit 90 mm
Weight	4.9 kg



5KG, 6KG & 7KG SDS MAX HAMMERS

CAT. NO.	DESCRIPTION
D25501K	5kg, 1100 watts, 40mm, Drilling/Chipping
D25601K	6kg, 1250 watts, 45mm, Drilling/Chipping
D25711K	7kg, 1250 watts, 48mm, Drilling/Chipping
D25831K	6kg, 1250 watts dedicated chipping hammer



D25601K

AVC
ACTIVE VIBRATION CONTROL

10KG DEMOLITION HAMMER

**D25901K
D25899K**

	D25901K	D25899K
Power Input	1500 watts	1500 watts
Blows per Minute	1020 - 2040 bpm	2040 bpm
Impact energy (EPTA 05/2009)	17.9 J	17.9 J
Hand/Arm Vibration	8.0 m/s ²	12.0 m/s ²
Weight	10.9 kg	9.9 kg



D25901 ONLY

16KG PAVEMENT BREAKER

D25960K

Power Input	1600 watts
Blows per Minute	1450 bpm
Impact energy (EPTA 05/2009)	35 J
Tool Holder	28mm HEX
Hand/Arm Vibration	6.8 m/s ²
Weight	18.4 kg



30KG PAVEMENT BREAKER

D25980K

Power Input	2100 watts
Blows per Minute	900 bpm
Impact energy (EPTA 05/2009)	52 J
Tool Holder	28mm HEX
Hand/Arm Vibration	4.8 m/s ²
Weight	31.0 kg



Supplied with trolley D259801



DUST MANAGEMENT

CAT. NO.	DESCRIPTION
D25301D	SDS - Plus Dust Extraction Telescope (fits all 2KG and L-Shape mains and cordless hammers)
DWH050K	Large Hammer Dust Extraction (Drilling & Hole Cleaning)
DWH051K	Large Hammer Dust Extraction (Chipping) - 5kg to 12kg
DWH052K	Large Hammer Dust Extraction (Chipping) - 16kg & 30kg



DWH050K



D25301D
Tool not supplied



DWH051K
DWH052K

EXTREME DeWALT® XLR FULL HEAD CARBIDE SDS-Plus DRILL BITS



APPLICATIONS

- Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete.

FEATURES

- New solid carbide drill tip with optimised 4 cutter geometry offers the highest levels of drill bit life and durability.
- 4 cutter geometry drills a more concentric hole to offer the best fixing retention.
- 4 flute spiral aids consistent drilling speed and efficient debris removal.



SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT8907-QZ	5	110	50	1	1	£5.07	€6.03
DT8908-QZ	5	160	100	1	1	£7.46	€8.88
DT8909-QZ	5	210	150	1	1	£7.33	€8.73
DT8910-QZ	5.5	110	50	1	1	£5.91	€7.04
DT8911-QZ	5.5	160	100	1	1	£8.20	€9.76
DT8912-QZ	6	110	50	1	1	£6.71	€7.99
DT8913-QZ	6	160	100	1	1	£8.39	€9.99
DT8914-QZ	6	210	150	1	1	£8.95	€10.66
DT8915-QZ	6	260	200	1	1	£8.28	€9.86
DT8916-QZ	6.5	160	100	1	1	£9.70	€11.55
DT8917-QZ	6.5	210	150	1	1	£7.47	€8.89
DT8918-QZ	6.5	260	200	1	1	£8.88	€10.57
DT8919-QZ	6.5	310	250	1	1	£10.40	€12.38
DT8920-QZ	7	160	100	1	1	£8.27	€9.84
DT8921-QZ	7	210	150	1	1	£9.68	€11.52
DT8922-QZ	8	110	50	1	1	£6.37	€7.58
DT8923-QZ	8	160	100	1	1	£8.10	€9.64
DT8924-QZ	8	210	150	1	1	£8.25	€9.82
DT8925-QZ	8	260	200	1	1	£9.39	€11.18
DT8926-QZ	8	310	250	1	1	£11.23	€13.36
DT8927-QZ	8	460	400	1	1	£22.11	€26.32
DT8928-QZ	10	160	100	1	1	£8.30	€9.88
DT8929-QZ	10	210	150	1	1	£9.46	€11.25
DT8930-QZ	10	260	200	1	1	£10.35	€12.32
DT8931-QZ	10	310	250	1	1	£12.16	€14.48
DT8932-QZ	10	460	400	1	1	£24.90	€29.63
DT8933-QZ	12	160	100	1	1	£10.64	€12.66
DT8934-QZ	12	200	150	1	1	£11.45	€13.63
DT8935-QZ	12	260	200	1	1	£12.20	€14.52
DT8936-QZ	12	310	260	1	1	£13.08	€15.57
DT8937-QZ	12	460	410	1	1	£25.09	€29.87

XLR SDS-Plus CHISELS

APPLICATIONS

- For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products for hammers with rotational stop.

FEATURES

- Dual Steel design is high impact and shock resistant.
- Wear resistant tip increases durability and reduces down time.
- High durability, shock resistant shaft prevents breakage to increase productivity.



SINGLE PACKS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6978-QZ	300MM POINTED CHISEL SDS+		300	1	1	£20.00	€23.81
DT6979-QZ	200MM X 25MM FLAT (no ribs) CHISEL SDS+	25	200	1	1	£20.00	€23.81
DT6984-QZ	200MM X 40MM FLAT (no ribs) CHISEL SDS+	40	200	1	1	£28.00	€33.33



METAL WORKING



115MM GRINDER

D28113K

Power Input	900 watts
No Load Speed	10000 rpm
Max. Disc Diameter	115 mm
Weight	2.1 kg



Also available without kitbox - D28113

115MM & 125MM GRINDERS

230MM GRINDERS

CAT. NO.	DESCRIPTION
D28065	125mm, 1250 watts with Dust Ejection System
DW831	125mm, 1400 watts
D28117	115mm, 1100 watts low vibration

CAT. NO.	DESCRIPTION
D28415	2200 watts Low Vibration
D28490	2000 watts
D28492K	2200 watts



D28065



D28415

125MM MORTAR RAKING KIT 115MM/125MM SURFACING SHROUD

DWE46101 DWE46150

DWE46101	
Power Input	1100 watts
No Load Speed	10000 rpm
Max. Disc Diameter	125 mm
Weight	1.8 kg



DWE46150
115mm/125mm Surfacing Shroud





355MM ABRASIVE CHOP SAWS

D28715
D28710

	D28715	D28710
Power Input	2200 watts	2200 watts
No Load Speed	4000 rpm	3800 rpm
Wheel Diameter	355 mm	355 mm
Max. Cutting Capacity at 90°	Square Profile	120 x 120 mm
	Rectangular Profile	100 x 200 mm
	L-Shape Profile	140 x 140 mm
	Rounded Profile	130 mm
Weight	18.0 kg	17.0 kg



D28715

355MM TCT METAL CUTTING SAW

DW872

Power Input	2200 watts	
No Load Speed	1300 rpm	
Wheel Diameter	355 mm	
Max. Cutting Capacity at 90°	Square	100 x 100 mm
	Rectangular	75 x 130 mm
	L-Shape	92 x 92 mm
	Rounded	130 mm
Weight	22.5 kg	



180MM POLISHER

DWP849X

Power Input	1250 watts
No Load Speed	0 - 600 / 3500 rpm
Max. Disc Diameter	150 / 180 / 230 mm
Weight	3.0 kg



110MM HAND HELD TILE SAW

DWC410

Power Input	1300 watts
No Load Speed	13000 rpm
Wheel Diameter	110 mm
Bore Size	20 mm
Depth of cut	34 mm
Weight	3.0 kg




250MM SLIDE TABLE WET TILE SAW

D24000S

Power Input	1600 watts
Wheel Diameter	250 mm
Bore Size	25.4 mm
Depth of cut	95 mm
Max. Crosscut Capacity at 90°	610 mm
Max. Crosscut Capacity at 45°	450 mm
Weight	32.0 kg



Do you drill only into soft materials such as bricks, Poroton blocks, light breezeblock or limestone?

You need a Dry Drilling System

NO See below

DRY

YES →

What size holes do you drill?

up to 132mm and occasionally up to 152mm



D21580K

+


D215804

+

DIAMOND



WET



Do you drill into hard materials such as reinforced concrete, natural stones or engineering bricks?

You need a Wet Drilling System


D21583K*

What size holes do you drill?

up to 122mm and occasionally up to 132mm

Will you drill more than ø40mm?

YES



D215821

*Can be used for Dry Drilling also. Please follow the system for D21580K



DWV902M

Will you drill more than \varnothing 100mm?

NO

ADAPTOR/PILOT BIT REQUIRED

OPTIONAL EXTENSION



DT3823 & DT3848/9*

DT3844
(250mm)

YES



DT3844
(250mm)

D215821

*Longer pilot drill bit (DT3849) required when using D215804 dust extraction adaptor



D215824

Have you got mains water supply?

NO



Do you need to collect water afterwards to keep the working area clean?

YES

OPTIONAL EXTENSION



DT3846
(150mm) or **DT3847**
(300mm)



D215822 + DWV902M



HAND HELD DRY DIAMOND DRILL


D21570K

Power Input	1300 watts
No Load Speed	0 - 1250 / 0 - 3500 rpm
Max. Drilling Capacity - Masonry	127 mm
Weight	3.0 kg



DEDICATED DIAMOND DRILLS

CAT. NO.	DESCRIPTION
D21580K	2 speed, 1705 watts, 152mm capacity
D21583K	3 speed, 1910 watts, 202mm capacity



D21580K



D21583K



DIAMOND ATTACHMENTS

CAT. NO.	DESCRIPTION
D215821	Drilling Stand 53mm Collar For D21580/D21582
D215822	Water Collection Ring For D215821
D215823	3 x Spare Seals For Water Collection Ring D215822
D215824	10L Water Tank
D215825	Fastening Set For Concrete (inc 10 x Dowels)
D215826	Fastening Set For Masonry (inc 1 x Dowel)
D215827	10 x Spare Dowel Concrete
D215828	1 x Spare Dowel Masonry

CAT. NO.	DESCRIPTION
D215831	Drilling Stand 60mm Collar For D21580*/21582*/D21583 (*Reduction Ring Required)
D215832	Water Collection Ring For D215831
D215833	3 x Spare Seals for Water Collection Ring D215832
D215834	Reduction Ring 60 - 53mm Collar
D215835	Quick action Bracing Unit
D215838	Spare 3m Vacuum Tube
D215839	Vacuum Kit For D215831 Stand (Seal + Valve)
D215804	Dust Collection Device





DRILLING



PERCUSSION DRILLS

CAT. NO.	DESCRIPTION
DWDO24K	650 watts, single speed, keyed chuck, capacity 25mm wood/16mm concrete
D21716K	701 watts, single speed, keyed chuck, capacity 30mm wood/16mm concrete
D21805KS	770 watts, two speed, keyless chuck, capacity 35mm wood/20mm concrete



D21805KS

MIXER DRILL

D21520

Power Input	710 watts
Max Torque	50 Nm
No Load Speed	0 - 550 rpm
Max. Capacity	160 mm
Weight	3.4 kg



IMPACT WRENCHES

CAT. NO.	DESCRIPTION
DW292	½", 710 watts, 440 Nm
DW294	¾", 710 watts, 440 Nm



DRY WALL GUN

Power Input	540 watts
Max Torque	10 Nm
No Load Speed	0 - 4000 rpm
Max. Screw Diameter	4.8 mm
Tool Holder	(Hex) 6.35 mm
Weight	1.3 kg



DW274K



DUST EXTRACTION



M-CLASS DUST EXTRACTION

DWV902M

Power Input	1400 watts
Power Take Off Rating	2200 watts
Max. Airflow	3660 l/min
Capacity	35 ltr
Wet/Dry Capacity	35 ltr
Weight	15.0 kg



These vacuum cleaners permit picking up dusts from dust classes L and M. These include all health endangering, non-carcinogenic dusts with OEL values > 1.0 mg/m³ and hardwood dusts.



DUST EXTRACTION

CAT. NO.	DESCRIPTION
D27902	45 ltr, wet & dry, auto cleaning filter
D27900	27 ltr, wet & dry
D27901	45 ltr, wet & dry

D27902



D27900



D27901



DUST EXTRACTION ATTACHMENTS

CAT. NO.	DESCRIPTION
DWV9210	Construction Kit
DWV9220	Woodworking Kit
DWV9000	Twist Lock
DWV9110	Tapered Adapter
DWV9120	Stepped Adapter
DWV9130	35mm Adapter
DWV9150	35mm Angle Adapter
D279058CL	Hose Clip

DWV9210



DWV9220



DWV9000



DWV9110



DWV9120



DWV9130



DWV9150



D279058CL



DUST EXTRACTION TO POWER TOOL CONNECTION SYSTEM. Easy to use - fast 'click' connection to any power tool with a dust port. Durable - long lasting, jobsite tough.



**MITRE SAWS
& MACHINERY**



THERE IS ONLY ONE CHOICE

DEWALT manufactures precision engineered mitre saws which offer accuracy, performance and durability.

REPEATABLE ACCURACY

Outstanding build quality and exclusive mitre and bevel adjustment system for unrivalled accuracy.



DURABILITY

Long-life performance, heavy duty fence and table designs.



PRODUCTIVITY

Unlike lasers, the XPS system requires no adjustment. Clear visible cut line and illuminated work area.





305MM COMPOUND SLIDE MITRE SAW

DWS780

Power Input	1675 watts
Blade Diameter	305 mm
Blade Bore	30 mm
Bevel Capacity	49/49 °
Mitre Capacity [right/left]	60/50 °
Max. Depth of Cut	170 mm
Max. Cross cut	345 mm
Weight	24.8 kg



MITRE SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE7023	Universal Legstand
DE7024	Work Support Stop
DE7025	Mounting Bracket
DE7027	Roller Support
DE7028	Extension Arm Support

CAT. NO.	DESCRIPTION
DE7029	Increased Width Support Stop
DE7030	Large Mounting Bracket
DE7031	Heavy Duty Extension Support
DE7033	Heavy Duty Short Beam Mitre Saw Leg Stand
DE7035	Heavy Duty Work Support Stand - Saw Horse

DE7023



DE7024



DE7027



DE7025



DE7029



DE7030



DE7028



DE7031



DE7033



DE7035





250MM COMPOUND SLIDE MITRE SAW

DW717XPS

Power Input	1675 watts
Blade Diameter	250 mm
Blade Bore	30 mm
Bevel Capacity	48/48 °
Mitre Capacity [right/left]	50/60 °
Max. Depth of Cut	88 mm
Max. Cross cut	320 mm
Weight	23.0 kg



216MM SLIDE MITRE SAW

DW777

Power Input	1800 watts
Blade Diameter	216 mm
Blade Bore	30 mm
Bevel Capacity	48 °
Mitre Capacity [right/left]	50/50°
Max. Depth of Cut	62 mm
Max. Cross cut	270 mm
Weight	14.0 kg



250MM TABLE SAW

DW745

Power Input	1700 watts
Blade Diameter	250 mm
Blade Bore	30 mm
Bevel Capacity	-3 to 48 °
Max. Ripping Capacity	right 410 mm left 315 mm
Table Size	630 x 570 mm
Weight	22.0 kg



Also available with rolling leg stand (DE7400) - DW745RS

250MM HEAVY DUTY TABLE SAW

DW744XP

Power Input	2000 watts	Max. Ripping Capacity	right 625 mm left 342 mm
Blade Diameter	250 mm	Table Size	627 x 678 mm
Blade Bore	30 mm	Weight	35.0 kg
Bevel Capacity	-3 to 48 °		



Also available with rolling leg stand (DE7400) - DW744XPRS

ROLLING LEG STAND FOR TABLE SAWS

DE7400





FLIP OVER SAWS

**D27105, D27107
& DW743N**

	D27105 - 240V D27107 - 110V	DW743N
Power Input	2000 watts	2000 watts
Blade Speed	D27105 - 3000 rpm D27107 - 4000 rpm	2850 rpm
Blade Diameter	305 mm	250 mm
Blade Bore	30 mm	30 mm
Bevel Capacity	48 °	45 °
Mitre Capacity [right/left]	48/48 °	45 / 45 °
Cutting Capacity at 90°/90° (W x H)	50 x 155 mm	140 × 68 mm
	205 x 63 mm	180 × 20 mm
Cutting Capacity at 45°/90° (W x H)	45 x 155 mm	95 × 70 mm
	160 x 35 mm	120 × 46 mm
Cutting Capacity at 90°/45° (W x H)	50 x 100 mm	70 × 95 mm
	205 x 50 mm	150 × 20 mm
Max. Cutting Capacity at 45°/45°	60 x 110 mm	-
Max. Cutting Capacity	Sawbench position 90°/90°	0 - 81 mm
	Sawbench position 90°/45°	0 - 56 mm
Weight	40.0 kg	37.0 kg



FLIP OVER SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE3454	Pair of Push Sticks
DE3460	Length Stop for Short Work Pieces
DE3461	Clamp Assembly
DE3462	Swivel Stop
DE3471	Single Sliding Table
DE3472	Right Side Extension Table
DE3473	Ripping / Parallel Fence
DE3474	Adjustable Support Stand
DE3491	500mm Pair of Guide Rods

CAT. NO.	DESCRIPTION
DE3494	1000mm Pair of Guide Rods
DE3495	Material Support Plate
DE3496	Fence for Bench Mode
D271051	Clamp Assembly (D27105/7 only)
D271052	Mitre Fence (D27105/7 only)
D271054	Dust Extraction Kit (D27105/7 only)
D271057	Table Saw Guard (D27105/7 only)
D271058	Right Side Extension Table (D27105/7 only)

D271054



DE3496



DE3472





PORTABLE THICKNESSER

DW733

Power Input	1800 watts
No Load Speed	10000 rpm
Max. Capacity	317 mm
Max. Planing Depth	2 mm
Max. Thicknesser Capacity	152 mm
Weight	33.6 kg



PLANER THICKNESSER

D27300

Power Input	2100 watts
Max. Capacity	260 mm
Max. Depth of Cut	4 mm
Max. Planing Depth	3 mm
Planer Table Size	1000 × 260 mm
Thicknesser Table Size	500 × 250 mm
Max. Thicknesser Capacity	160 mm
Weight	53.0 kg



BANDSAWS

CAT. NO.	DESCRIPTION
DW738	749 watts, 2 speed, depth of cut 155mm, width of cut 310mm
DW739	749 watts, variable speed, depth of cut 155mm, width of cut 310mm
DW876	1000 watts, 2 speed, depth of cut 200mm, width of cut 310mm



DW738

RADIAL ARM SAWS

CAT. NO.	DESCRIPTION
DW721KN	300mm, 2000 watts, 507mm cross cut Radial Arm Saw
DW728KN	350mm, 2200 watts, 525mm cross cut Radial Arm Saw
DW729KN	350mm, 4000 watts, 525mm cross cut Radial Arm Saw



DW728KN




EXTREME DeWALT® STATIONARY CIRCULAR SAW BLADES



FEATURES

- Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth.
- Exceptional surface finish due to unique anti-vibration slots that minimise blade vibration.
- Extended cutting life in difficult materials such as tropical hardwoods and MDF through use of corrosion resistant carbide teeth.



Cat. No.	Diameter / Bore mm	Plate/ Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	UK LIST PRICE	IRE LIST PRICE
DT4211-QZ	210/30	1.8/2.6	18	ATB	25°	●					£61.80	€73.56
DT4221-QZ	210/30	1.8/2.6	24	ATB	-5°		●				£70.41	€83.81
DT4250-QZ	210/30	1.8/2.6	40	ATB	10°			●			£86.52	€102.98
DT4252-QZ	210/30	1.8/2.6	48	ATB	-5°			●			£92.70	€110.34
DT4253-QZ	210/30	1.8/2.6	56	TCG	-5°			●			£100.94	€120.15
DT4285-QZ	210/30	1.8/2.6	80	TCG	-5°				●	●	£103.00	€122.60
DT4310-QZ	216/30	1.8/2.6	24	ATB	-5°	●					£72.10	€85.82
DT4320-QZ	216/30	1.8/2.6	48	ATB	-5°		●				£98.88	€117.69
DT4350-QZ	216/30	1.8/2.6	60	ATB	-5°			●			£108.48	€129.12
DT4370-QZ	216/30	1.8/2.6	60	TCG	-5°				●		£119.48	€142.21
DT4286-QZ	216/30	1.8/2.6	80	TCG	-5°				●	●	£112.68	€134.12
DT4311-QZ	250/30	2.2/3.0	24	FT	10°	●					£78.28	€93.18
DT4321-QZ	250/30	2.2/3.0	30	ATB	10°		●				£90.64	€107.89
DT4226-QZ	250/30	2.2/3.0	30	ATB	20°		●				£80.34	€95.63
DT4322-QZ	250/30	2.2/3.0	40	ATB	10°		●				£103.82	€123.58
DT4323-QZ	250/30	2.2/3.0	48	ATB	20°		●				£105.64	€125.74
DT4351-QZ	250/30	2.2/3.0	60	ATB	10°			●			£112.68	€134.12
DT4352-QZ	250/30	2.2/3.0	60	TCG	-5°			●			£111.24	€132.41
DT4353-QZ	250/30	2.2/3.0	80	ATB	10°			●			£141.40	€168.30
DT4354-QZ	250/30	2.2/3.0	80	ATB	-5°			●			£127.72	€152.02
DT4287-QZ	250/30	2.2/3.0	80	TCG	-5°				●	●	£115.36	€137.31
DT4373-QZ	250/30	2.2/3.0	80	TCG	10°				●		£141.40	€168.30
DT4282-QZ	250/30	2.2/3.0	96	TCG	-5°				●	●	£131.51	€156.53
DT4214-QZ	260/30	1.8/2.6	24	ATB	15°	●					£92.70	€110.34
DT4312-QZ	260/30	1.8/2.6	24	ATB	15°	●					£82.73	€98.47
DT4324-QZ	260/30	1.8/2.6	48	ATB	10°		●				£123.35	€146.82
DT4280-QZ	260/30	1.8/2.6	80	TCG	-5°			●		●	£120.35	€143.24
DT4314-QZ	300/30	2.2/3.0	30	ATB	10°	●					£109.55	€130.40
DT4327-QZ	300/30	2.2/3.0	48	ATB	10°		●				£112.81	€134.27
DT4328-QZ	300/30	2.2/3.0	60	ATB	10°		●				£127.84	€152.17
DT4329-QZ	300/30	2.2/3.0	60	TCG	10°			●			£164.35	€195.62
DT4357-QZ	300/30	2.2/3.0	72	TCG	10°			●			£161.96	€192.77
DT4281-QZ	300/30	2.2/3.0	80	TCG	-5°				●	●	£125.21	€149.03
DT4376-QZ	300/30	2.2/3.0	96	TCG	10°				●		£195.62	€232.84
DT4330-QZ	305/30	2.2/3.0	36	ATB	-5°		●				£97.77	€116.37
DT4260-QZ	305/30	1.8/2.6	60	ATB	-5°			●			£109.18	€129.95
DT4331-QZ	305/30	2.2/3.0	60	ATB	-5°			●			£117.75	€140.15
DT4288-QZ	305/30	2.2/3.0	80	TCG	-5°				●	●	£131.84	€156.93
DT4290-QZ	305/30	2.2/3.0	96	TCG	-5°				●	●	£160.68	€191.25
DT4215-QZ	315/30	2.2/3.0	24	ATB	10°	●					£104.03	€123.82
DT4332-QZ	315/30	2.2/3.0	48	ATB	10°		●				£133.03	€158.35
DT4358-QZ	315/30	2.2/3.0	72	ATB	10°			●			£164.35	€195.62
DT4333-QZ	350/30	2.2/3.0	42	ATB	10°		●				£137.73	€163.94
DT4334-QZ	350/30	2.2/3.0	54	ATB	10°		●				£148.81	€177.13
DT4359-QZ	350/30	2.2/3.0	80	TCG	-5°			●			£172.13	€204.89
DT4360-QZ	350/30	2.2/3.0	84	ATB	10°			●			£183.18	€218.03
DT4291-QZ	350/30	2.2/3.0	96	TCG	-5°				●	●	£148.32	€176.54
DT4317-QZ	400/30	2.5/3.0	36	ATB	10°		●				£128.42	€152.86
DT4338-QZ	400/30	2.5/3.5	60	ATB	10°		●				£162.78	€193.76




CONSTRUCTION STATIONARY CIRCULAR SAW BLADES



FEATURES

- Precision ground cutting angles for excellent blade sharpness and faster cutting.
- "K20" extra robust carbide and unique wedge shoulder design for greater durability.
- Thick steel plate hard body for professional quality.



Cat. No.	Diameter / Bore mm	Plate / Kerf	Teeth	Grind	Rake	Additional Insert Rings	Fast Rip	General Purpose	UK LIST PRICE	IRE LIST PRICE
DT1154-QZ	216/30	1.7/2.6	24	ATB	-5°		●		£36.09	€42.96
DT1155-QZ	216/30	1.7/2.6	40	ATB	-5°			●	£38.19	€45.46
DT1158-QZ	250/30	2.0/3.0	24	ATB	10°	16/20/25.4	●		£42.44	€50.51
DT1159-QZ	250/30	1.8/3.0	48	ATB	10°	16/20/25.4		●	£44.58	€53.06
DT1160-QZ	305/30	2.0/3.0	24	ATB	-5°	25.4	●		£55.17	€65.66
DT1161-QZ	305/30	2.0/3.0	40	ATB	10°	25.4		●	£59.41	€70.72
DT1162-QZ	305/30	2.0/3.0	60	ATB	-5°	25.4		●	£63.65	€75.77
DT1163-QZ	315/30	2.2/3.2	24	ATB	20°	25.4	●		£65.80	€78.32

BANDSAW BLADES



FOR USE WITH DW738 AND DW739

APPLICATIONS

- Range for most wood and steel applications.

FEATURES

- Sharp ground teeth slice through the workpiece, producing a fine finish. (Wood cutting blades only).

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	UK LIST PRICE	IRE LIST PRICE
DT8480-QZ	Wood-Fretsaw Blade	2095	3	0.6	4.2	1	£73.91	€87.98
DT8481-QZ	General Purpose Blade	2095	12	0.6	4.2	1	£33.26	€39.59
DT8482-QZ	Wood - thick cuts	2095	16	0.6	6.4	1	£55.43	€65.98
DT8483-QZ	Wood - contour	2095	6	0.6	3.2	1	£33.26	€39.59
DT8484-QZ	Non-ferrous Metal - Thin cuts	2095	6	0.6	1.8	1	£33.26	€39.59
DT8485-QZ	Non-ferrous Metal - Thick cuts	2095	12	0.6	3.2	1	£33.26	€39.59
DT8486-QZ	Wood, Formica and Laminates	2095	10	0.6	3.2	1	£33.26	€39.59

FOR USE WITH DW876

APPLICATIONS

- Range for most wood and some steel applications.

FEATURES

- Premium Grade Steel.
- Ultra sharp diamond ground teeth produce a sandpaper fine finish (woodcutting blades only).

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	UK LIST PRICE	IRE LIST PRICE
DT8470-QZ	Wood - Fretsaw Blade	2215	4	0.6	1.8	1	£73.91	€87.98
DT8471-QZ	Wood - contour / scroll	2215	6	0.4	4.2	1	£48.37	€57.58
DT8472-QZ	Wood - Rip & Cross cut	2215	10	0.4	4.2	1	£48.37	€57.58
DT8473-QZ	Wood - Fast rip cut, medium composites	2215	16	0.6	6.4	1	£48.37	€57.58
DT8474-QZ	Wood - Fast rip cut, thick wood	2215	20	0.6	6.4	1	£55.43	€65.98
DT8475-QZ	Metal - Non-ferrous - thin steel	2215	6	0.6	1.4	1	£31.80	€37.85
DT8476-QZ	Metal - Non-ferrous - thick steel	2215	12	0.6	1.8	1	£33.18	€39.50



WOODWORKING



1/4" COMPACT FIXED BASE ROUTER

D26200

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	1.9 kg



1/4" COMPACT PLUNGE ROUTER

D26203

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	2.9 kg



1/4" COMPACT COMBINATION PLUNGE & FIXED BASE ROUTER

D26204K

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	2.9 kg



LAMINATE TRIMMERS & 1/4" ROUTER

CAT. NO.	DESCRIPTION
DW609	600 watts large base laminate trimmer
DW670	600 watts small base laminate trimmer
DW615	1/4", 900 watt variable speed router



1/2" 1400 WATT ROUTER

DW621K

Power Input	1400 watts
No Load Speed	8000 - 24000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 12 mm
Weight	3.1 kg



1/2" 2000 WATT ROUTER

DW625EK

Power Input	2000 watts
No Load Speed	8000 - 20000 rpm
Plunge Stroke/Movement	80 mm
Collet Size	6 - 12.7 mm
Weight	5.1 kg





2.5MM PLANER

DW680K

Power Input	600 watts
No Load Speed	15000 rpm
Maximum Depth of Cut	2.5 mm
Rebating Depth	12 mm
Planer Width	82 mm
Weight	3.2 kg



4MM PLANER

D2650K

Power Input	1050 watts
No Load Speed	13500 rpm
Maximum Depth of Cut	4 mm
Rebating Depth	25 mm
Planer Width	82 mm
Weight	4.0 kg



BISCUIT JOINTER

DW682K

Power Input	600 watts	Fence adjustment	0-90 °
No Load Speed	10000 rpm	Weight	3.0 kg



1/4 SHEET PALM SANDER

D2644 I

Power Input	230 watts	Orbit Size	1.4 mm
Rotation speed	14000 rpm	Weight	1.4 kg
Orbits Per Minute	28000 opm		



1/2 SHEET SANDER

D2642 I

Power Input	350 watts	Orbit Size	2.5 mm
Rotation speed	22000 rpm	Paper Size	113 x 280 mm
Orbits Per Minute	44000 opm	Weight	2.8 kg



DETAIL SANDER

D2643O

Power Input	300 watts	Orbit Size	1.8 mm
Rotation speed	14000 - 22000 rpm	Weight	1.3 kg
Orbits Per Minute	28000 - 44000 opm		





125MM RANDOM ORBIT SANDER

D26453

Power Input	280 watts	Orbit Size	2.4 mm
Rotation speed	7000 - 12000 rpm	Weight	1.6 kg
Orbits Per Minute	14000 - 24000 opm		



150MM RANDOM ORBIT SANDER

DW443

Power Input	530 watts	Orbit Size	5.0 mm
Rotation speed	4200 - 7600 rpm	Weight	2.7 kg
Orbits Per Minute	8400 - 15200 opm		



150MM RANDOM ORBIT SANDER (DUAL ORBIT)

D26410

Power Input	400 watts	Orbit Size	3.0 & 6.0 mm
Rotation speed	4000 - 10000 rpm	Paper Size	150 mm
Orbits Per Minute	8000 - 20000 opm	Weight	2.7 kg



PALM GRIP BELT SANDER

D26480

Power Input	500 watts	Belt Size	64 x 356 mm
Belt Speed	365 m/min	Weight	2.4 kg



75MM (3") BELT SANDER

DW433

Power Input	800 watts	Belt Size	75 x 533 mm
Belt Speed	259 - 427 m/min	Weight	5.6 kg



HEATGUNS

D26414

D26411

	D26414	D26411
Power Input	2000 watts	1800 watts
Operating Temperature	50 - 600 °C	50 - 400 / 50 - 600 °C
Air Flow	250 / 450 l/min	250 / 450 l/min
LCD screen	Yes	-
Weight	0.85 kg	0.80 kg






PRECISION PLUNGE SAW

DWS520K

Power Input	1300 watts
No Load Speed	1750 - 4000 rpm
Blade Diameter	165 mm
Blade Bore	20 mm
Max. Depth of Cut at 90°	59 mm
Max. Depth of Cut at 45°	44 mm
Weight	5.1 kg



Also available with guide rail - DWS520KR



PLUNGE SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE6292	Joining Bar for Guide Rails
DWS5021	1m Guide Rail
DWS5022	1.5m Guide Rail
DWS5023	2.6m Guide Rail
DWS5025	Guide Rail Carry Bag (for DWS5021 and DWS5022)
DWS5026	Pair of Quick Clamps for Guide Rails

CAT. NO.	DESCRIPTION
DWS5027	T Square
DWS5029	Replacement Edge Strip
DWS5030	Replacement Low Friction Strip (Top of Guide Rail)
DWS5031	Router Attachment for Guide Rails
DWS5032	Replacement High Friction Strip (Bottom of Guide Rail)

DE6292



DWS5021



DWS5022



DWS5023



DWS5025



DWS5026



DWS5027



DWS5029



DWS5031





CIRCULAR SAWS

CAT. NO.	DESCRIPTION
DWE550	165mm, 1200 watts, 55mm depth of cut
DWE560	184mm, 1350 watts, 65mm depth of cut
DWE560K	184mm, 1350 watts, 65mm depth of cut
DWE575K	190mm, 1600 watts, 67mm depth of cut
DWE576K*	190mm, 1600 watts, 67mm depth of cut
D23700	235mm, 1750 watts, 86mm depth of cut



DWE550, DWE560 and D23700 not supplied with kitbox. *DWE576K compatible with guide rail system



DWE560

JIGSAWS

CAT. NO.	DESCRIPTION
DW331K	701 watts, 130mm depth of cut
DW341K	550 watts, 85mm depth of cut



DW331K



RECIPROCATING SAWS

CAT. NO.	DESCRIPTION
DW304PK	1050 watts, max cutting capacity 280mm
DW311K	1200 watts, max cutting capacity 300mm

DW304PK



DW311K



COMPACT RECIPROCATING SAW

DWE357K



Power Input	1050 watts
No Load Stroke Rate	0 - 2800 spm
Stroke Length	29 mm
Max. Cutting Capacity	Wood 280 mm
	Steel Sections & Pipes 100 mm
	PVC 130 mm
Weight	3.1 kg



ALLIGATOR® SAWS

CAT. NO.	DESCRIPTION
DWE396	Next Generation 275mm ALLIGATOR® with 54T class 20 Poroton Blade
DWE397	Next Generation 425mm ALLIGATOR® with 48T class 12 Poroton Blade

DWE396





ALLIGATOR® SAW BLADES



APPLICATIONS

- Ideal for fast and easy cutting in building blocks, wood, plywood, chipboard and drywall. See individual blades for details.

FEATURES

- Blades designed with HSS or TCT teeth to optimise the performance of the DeWALT Alligator® Power Saw.

TO FIT THE NEW DWE396 / DWE397

Cat. No.	Applications	Length mm	Tip Material	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT2970-QZ	Fine Wood Alligator HSS	295	HSS	1	1	£56.00	€66.66
DT2971-QZ	11" Rough Wood Alligator HSS	295	HSS	1	1	£44.00	€52.37
DT2972-QZ	11" Fine Wood Alligator 32 TCT	295	HSS	1	1	£88.00	€104.74
DT2973-QZ	11" CLS 12 Poroton Alligator 32 TCT	295	TCT	1	1	£70.00	€83.32
DT2977-QZ	11" CLS 20 Poroton Alligator TCT	295	TCT	1	1	£112.00	€133.31
DT2974-QZ	17" Class 12 Poroton Alligator TCT	430	TCT	1	1	£114.00	€135.69
DT2975-QZ	17" Gas Beton White Alligator TCT	430	TCT	1	1	£116.00	€138.07
DT2976-QZ	17" Class 20 Poroton Alligator TCT	430	TCT	1	1	£172.00	€204.73
DT2978-QZ	17" Rough Wood Alligator HSS	430	HSS	1	1	£60.00	€71.42
DT2979-QZ	17" Insulation Alligator HSS 1 TPI	430	TCT	1	1	£112.00	€133.31

PORTABLE FRAMING BLADES



APPLICATIONS

- Ripping and cross-cutting timber.
- Cutting composite wood eg plywood and MDF.

FEATURES

- Reduce push force required by the user.
- Cuts straight to reduce binding.
- Teeth stay sharper longer with reduced breakage.



FOR USE ON CIRCULAR SAWS THAT DO NOT HAVE A RIVING KNIFE

Cat. No.	Machine Type	Diameter	Bore	Teeth	Finish	UK LIST PRICE	IRE LIST PRICE
DT10624-QZ	Cordless Extreme	165	20	24	General Purpose	£30.00	€35.71
DT10640-QZ	Cordless Extreme	165	20	40	Finishing	£34.00	€40.47
DT10300-QZ	Corded	165	20	24	General Purpose	£30.00	€35.71
DT10301-QZ	Corded	165	20	40	Finishing	£34.00	€40.47
DT10302-QZ	Corded	184	16	24	General Purpose	£32.00	€38.09
DT10303-QZ	Corded	184	16	40	Finishing	£40.00	€47.61
DT10304-QZ	Corded	190	30	24	General Purpose	£36.00	€42.85



EXTREME PLUNGE SAW CIRCULAR SAW BLADES



EXTREME
DEWALT

FEATURES

- Blades designed specifically for use with plunge saws.
- See individual blades for details.



FOR USE ON PLUNGE SAWS

Cat. No.	Diameter / Bore	Plate / Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	UK LIST PRICE	IRE LIST PRICE
DT1089-QZ	165/20	1.6/2	18	ATB		●					£80.55	€95.87
DT1091-QZ	165/20	1.6/2	40	ATB			●				£94.76	€112.79
DT1090-QZ	165/20	1.6/2	48	ATB				●			£98.88	€117.69
DT1086-QZ	165/20	1.6/2	48	TCG					●		£101.56	€120.88
DT1087-QZ	165/20	1.6/2	54	MTCG					●		£108.56	€129.22
DT1088-QZ	165/20	1.6/2	54	TCG					●	●	£115.57	€137.56

PLANER BLADES



Cat. No.	Description	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT3901-QZ	80mm TCT reversible planer blades	1 pair	1	£14.21	€16.92

FOR USE WITH DW677, DW680K AND D26500K

Cat. No.	Description	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT3906-QZ	82mm TCT reversible planer blades	1 pair	1	£14.21	€16.92

JIGSAW BLADES



Cat. No.	Pieces	Description	Bosch Code	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT2053-QZ	5	HCS down cutting wood, laminate DOC 30mm	T101 BR	1	£7.91	€9.42
DT2057-QZ	5	HCS Progressor blade wood, chipboard DOC 65mm	T234 X	1	£7.91	€9.42
DT2075-QZ	5	HCS fast straight cutting wood, chipboard DOC 50mm	T144 DP	1	£7.91	€9.42
DT2160-QZ	5	HSS Metal Straight cutting, sheet metal DOC 3mm	T118 A	1	£7.91	€9.42
DT2161-QZ	5	HSS Metal straight cutting, thick metal DOC 6mm	T118 B	1	£7.91	€9.42
DT2162-QZ	5	HSS Metal Straight cutting, thin material DOC 1mm	T118 G	1	£7.91	€9.42
DT2163-QZ	5	HSS Metal fast straight cutting, thick material DOC 15mm	T127 D	1	£7.91	€9.42
DT2164-QZ	5	HCS Wood, chipboard fast straight cutting DOC 60mm	T101 D	1	£7.91	€9.42
DT2165-QZ	5	HCS Wood, chipboard, laminates, fine straight cuts DOC 30mm	T101 B	1	£7.91	€9.42
DT2166-QZ	5	HCS Wood, chipboard, fast straight cuts DOC 60mm	T144 D	1	£7.91	€9.42
DT2168-QZ	5	HCS Wood, chipboard, laminate fine curve cuts DOC 30mm	T101 AO	1	£7.91	€9.42

PLEASE SEE OUR DEDICATED ACCESSORY CATALOGUE FOR THE FULL RANGE OF DEWALT ACCESSORIES



TOUGHSYSTEM™

A mobile, modular storage system with unbeatable toughness, performance and protection

- 4mm thick reinforced polypropylene plastic
- Heavy duty metal latches and metal hinges
- Dust tight and water jet resistant (IP65) to withstand the most severe weather conditions



TOUGHSYSTEM™ FULL KIT

1-70-349

System Includes Trolley, 1 x DS150, 1 x DS300, 1 x DS400 and Brackets
Trolley On Own **1-70-324**



TOUGHSYSTEM™ SPARE BRACKETS

1-70-362



FOAM INLAY FOR DS150

DWST7-97150



TOUGHSYSTEM™ DS150 ORGANISER BOX

1-70-321

Height 158 mm

Width 336 mm

Depth 550 mm



TOUGHSYSTEM™ DS300 TOOLBOX

1-70-322

Height 308 mm

Width 336 mm

Depth 550 mm



TOUGHSYSTEM™ DS400 TOOLBOX

1-70-323

Height 408 mm

Width 366 mm

Depth 550 mm



TOUGHSYSTEM™ 2 DRAWER UNIT DS250

DWST1-70728

Height 275 mm

Width 340 mm

Depth 555 mm





DEWALT 18" TOTE BAG

1-79-208

Height	360 mm
Width	500 mm
Depth	300 mm

DEWALT RIGID TOP BAG

1-79-209

Height	310 mm
Width	500 mm
Depth	300 mm

DEWALT ROUND TOP BAG

1-79-211

Height	330 mm
Width	500 mm
Depth	310 mm



TSTAK™ - INTERLOCKING, STACKABLE STORAGE SYSTEM

TSTAK™

Interlocking, stackable storage system - Build the system to suit your needs

With its strong, easy to use interlocking system, units can be configured to your exact requirements, giving the ultimate flexible storage solution. TSTAK™ keeps everything organised exactly how you want it.



DEWALT TSTAK™ I

DWST1-70704

Height	185.1 mm
Width	440 mm
Depth	331.7 mm



Unit with Accessory Storage & Heavy Duty Handle


DeWALT TSTAK™ II (SUITCASE FLAT TOP)

DWST1-70703

Height	176 mm
Width	440 mm
Depth	331.7 mm



13L Power Tool Storage Top Unit with Pre-cut Foam Insert

DeWALT TSTAK™ III (DEEP DRAWER)

DWST1-70705

Height	176 mm
Width	440 mm
Depth	314.2 mm



9.5L Deep Drawer Storage Unit Comes With 2 Large & 4 Small Removable Units

DeWALT TSTAK™ IV (SHALLOW DRAWERS)

DWST1-70706

Height	176 mm
Width	440 mm
Depth	314.2 mm



8L Capacity. Drawers with Removable Dividers for Organising & Storing Small Parts

DeWALT TSTAK™ COMBO SET II+IV
DWST1-70702

Height	326 mm
Width	440 mm
Depth	332 mm



21.5L Capacity. Power Tool Storage Unit and 2 Shallow Drawers



DEWALT offers an outstanding guarantee for professional users of our products

DEWALT

30 DAY NO RISK SATISFACTION GUARANTEE

1 YEAR FREE SERVICE CONTRACT

1 YEAR WARRANTY

GUARANTEED TOUGH.™

In order to make a claim, you will need to submit proof of purchase to the seller or an authorised DEWALT repair agent, and the product must display the CE mark, as shown:



This provided that the product has not been mis-used and has been subject to fair wear and tear.

Any attempt by anyone other than an authorised service repair agent to service a tool during the warranty period will invalidate the warranty for said tool.

30 DAY NO RISK SATISFACTION GUARANTEE

If you are not completely satisfied with the performance of your DEWALT product, simply return it to the point of purchase within 30 days for a full refund or exchange. Product must be complete as purchased and proof of purchase must be produced. Spare parts and Accessories are excluded unless failed under warranty.

1 YEAR FREE SERVICE CONTRACT

If you require maintenance or service for your DEWALT product within 12 months of purchase, you are entitled to one service free of charge, undertaken at an authorised DEWALT repair agent. Proof of purchase must be produced. Includes labour. Spare parts and Accessories are excluded.

1 YEAR FULL WARRANTY

In the unlikely event that your DEWALT product becomes defective due to faulty materials or workmanship within 12 months of purchase, DEWALT guarantees to replace all defective parts free of charge or - at our discretion - replace the unit free of charge.

3 YEAR WARRANTY AVAILABLE ON XR LI-ION PRODUCTS BY REGISTERING ONLINE.

PLEASE VISIT WEBSITE FOR TERMS & CONDITIONS.



For products not covered under 30.1.1 visit www.DEWALT.co.uk



DEWALT®

SERVICE



CONVENIENCE

At the heart of DEWALT's 5 star service promise are its 5 star service agents which are conveniently located throughout the country, with specialists always available to answer any questions whether you are on or off the jobsite.



SPEED

Having your tools back in action in the fastest time possible is our prime objective. Subject to parts availability, most repairs should not take more than 48 hours in the workshop and for those smaller urgent repairs we provide a "while-u-wait" service.



QUALITY

Highest Quality is assured with DEWALT factory trained technicians carrying out all repairs with all work being backed by our 90 day warranty. Each DEWALT repair comes with our personal "satisfaction tag" listing all the work done and a DEWALT contact telephone number should you be less than 100% happy with the repair.



GENUINE PARTS

All parts used in repairs are original, ensuring both the highest quality and a perfect fit every time.



ONLINE SERVICE

www.2helpU.com provides information on the DEWALT After Sales Services, including DEWALT authorised repair agent locations, some frequently asked questions, technical information, spare part details, warranty policy and recycling of used tools. You can also contact us directly via the website.



FOR AFTER SALES SERVICE PLEASE VISIT:

www.2helpU.com



	COUNTY	TOWN	COMPANY NAME	5★ AGENTS	TEL NO
1	Antrim	Ballymena	DIAMOND TOOLS & FIXINGS	★	028 2582 2877
2	Antrim	Mallusk	McBRIDE TOOL SERVICE	★	028 9334 9181
3	Berkshire	Aldermaston	ALDERMASTON TOOLS	★	0118 981 6886
4	Buckinghamshire	High Wycombe	ISAAC LORD	★	01494 462121
5	Cambridgeshire	Peterborough	CBS POWER TOOLS		01733 343031
6	Carmarthenshire	Carmarthen	TIMBERMAN		01267 232621
7	Cleveland	Middlesbrough	BUCK & HICKMAN	★	01642 240116
8	Clwyd	Colwyn Bay	FIXIT POWER TOOLS	★	01492 531999
9	Derbyshire	Derby	JAYMAC - THE TOOL SHOP	★	01332 755799
10	Devon	Newton Abbot	TOOLFIX	★	01626 362129
11	East Sussex	Brighton	BRIGHTON TOOLS & FIXINGS		01273 620456
12	East Yorkshire	Driffield	ELCOCKS LTD	★	01377 256666
13	Essex	Leigh On Sea	MARSHALL & PARSONS	★	01702 470100
14	Essex	Westcliff-On-Sea	TOOL-LINE	★	01702 391791
15	Fife	Dunfermline	ENGINEERING AGENCIES	★	01383 721677
16	Gloucestershire	Mitcheldean	TOOLITE		01594 544521
17	Greater London	Northolt	JAYCEE TOOLS		020 8841 1099
18	Greater London	Leyton	TOUCAN TOOLS		020 8556 6060
19	Guernsey	St Peters Port	AUTO ELEC		01481 726644
20	Hampshire	Southampton	SALLCO TOOLS LTD	★	02380 739653
21	Hampshire	Winchester	SOUTHERN POWER TOOL SERVICES		01962 863507
22	Hertfordshire	Letchworth	AC HIRE		01462 683704
23	Highland	Inverness	HIGHLAND INDUSTRIAL SUPPLIES		01463 239160
24	Isle Of Man	Braddan	WHITTAKER TRADING	★	01624 627122
25	Kent	Margate	GOODWINS POWER TOOL	★	01843 220836
26	Lancashire	Wigan	ENTWISTLE & JOYNT	★	01942 243081
27	Lancashire	Rochdale	ROCHDALE RE TOOL	★	01706 711430
28	Leicestershire	Leicester	CROMWELL GROUP HOLDINGS		0116 2572397
29	Leicestershire	Leicester	TERRATRUCK	★	01162 662456
30	Lincolnshire	Bracebridge	POWER TOOL SOLUTIONS	★	01522 535352



COUNTY	TOWN	COMPANY NAME	5★ AGENTS	TEL NO
31 Londonderry	Coleraine	CP HIRE	★	028 7034 4313
32 Merseyside	Liverpool	POWER TOOL CENTRE		0151 207 1400
33 Northamptonshire	Rushden	KINGTOOLS		01933 410900
34 Nottinghamshire	Nottingham	POWER TOOLS PLUS	★	0115 940 4414
35 Shetland	Lerwick	B.H GIFFORD MACHINERY		01595 690440
36 Somerset	Yeovil	MILES TOOLS & MACHINERY	★	01935 421281
37 South Glamorgan	Cardiff	DATA POWER TOOLS	★	029 2059 5710
38 South Yorkshire	Sheffield	POWERTECH	★	01142 474080
39 Staffordshire	Cannock	HEATH HAYES MARINE		01543 275048
40 Strathclyde	Glasgow	R&J SAW SERVICES	★	0141 551 8800
41 Strathclyde	Glasgow	THE SAW CENTRE		0141 429 4444
42 Surrey	Redhill	FIXINGS & POWER TOOL CENTRE	★	01293 820088
43 Surrey	Croydon	SHAWS ELECTRICAL		0208 688 0491
44 Tayside	Dundee	LAWNTECH		01382 203202
45 Tyne & Wear	Newcastle	R LORD HIRE	★	0191 265 3880
46 West Glamorgan	Swansea	CME PLANT HIRE	★	01639 845184
47 West Midlands	Birmingham	MIDLAND FIXINGS		0121 328 6033
48 West Midlands	Birmingham	BIRCHWOOD PRICE TOOLS	★	0121 689 2000
49 West Midlands	Coventry	ECA SUPPLIES	★	02476 602080
50 West Yorkshire	Brighouse	A ONE TOOLS & FIXINGS	★	01484 710282
51 North Yorkshire	York	ELCOCKS LTD	★	01904 611100
52 Republic Of Ireland	Mountmellick	BIZ E QUIP	★	0502 79832
53 Republic Of Ireland	Galway	CAULFIELD INDUSTRIAL	★	091 795000
54 Republic Of Ireland	Mullingar	CHRIS LYNCH HIRE	★	044 40678
55 Republic Of Ireland	Limerick	ELECTRICAL REWIND SERVICE		061 417070
56 Republic Of Ireland	Carlow	EPT (Ireland)		0503 43300
57 Republic Of Ireland	Cork	FRANK CLARK	★	021 4311466
58 Republic Of Ireland	Dublin 12	PARAGON POWER TOOLS	★	01 459 6888
59 Republic Of Ireland	Monaghan	SMP HIRE		047 82786



All prices are SSP's Excluding VAT

36 VOLT		UK £	IE €
DC234KL	36V SDS Hammer 2 x Li-Ion Nano Batteries Charger & Kit Box	636	758
D25302DH	36V Dust Extraction System For DC234KL (Integrated Design)	220	262
DC901KL	36V Hammer Drill 2 x Li-Ion Nano Batteries Charger & Kit Box	523	623
DC901KN	36V Hammer Drill Bare Unit	324	386
DC300KL	36V Circ Saw 2 x Li-Ion Nano Batteries Charger & Kit Box	663	789
DC305KL	36V Recip Saw 2 x Li-Ion Nano Batteries Charger & Kit Box	603	718
DC305KN	36V Recip Saw Bare Unit	324	386
DC308KL	36V Jigsaw 2 x Li-Ion Nano Batteries Charger & Kit Box	603	718
DC415KL	36V Grinder 2 x Li-Ion Nano Batteries Charger & Kit Box	603	718
DC415KN	36V Grinder Bare Unit	324	386
DC800KL	36V Impact Wrench 2 x Li-Ion Nano Batteries Charger & Kit Box	603	718
DC509	36V Torch	47	56

24 VOLT		UK £	IE €
DC223KA	24V SDS Hammer 2 x 2.0Ah Batteries Charger & Kit Box	451	537

18V XR LITHIUM ION		UK £	IE €
DCN690M2	18V XR 90mm Framing Nailer 2 x 4.0Ah Batteries Charger & Kit Box	589	659
DCN690N	18V XR 90mm Framing Nailer Bare Unit	429	479
DCD985M2	18V XR XRP Premium Hammer Drill 2 x 4.0Ah Batteries Charger & Kit Box	319	380
DCD980M2	18V XR XRP Premium Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	305	364
DCD785M2	18V XR Compact Hammer Drill 2 x 4.0Ah Batteries Charger & Kit Box	285	340
DCD785C2	18V XR Compact Hammer Drill 2 x 1.5Ah Batteries Charger & Kit Box	225	269
DCD785N	18V XR Compact Hammer Drill Bare Unit	105	125
DCD780M2	18V XR Compact Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	269	321
DCD780C2	18V XR Compact Drill Driver 2 x 1.5Ah Batteries Charger & Kit Box	215	256
DCF895M2	18V XR Brushless Impact Driver 2 x 4.0Ah Batteries Charger & Kit Box	319	380
DCF895N	18V XR Brushless Impact Driver Bare Unit	149	178
DCF889M2	18V XR High Torque Impact Wrench 2 x 4.0Ah Batteries Charger & Kit Box	345	411
DCF889N	18V XR High Torque Impact Wrench Bare Unit	149	178
DCF885M2	18V XR Compact Impact Driver 2 x 4.0Ah Batteries Charger & Kit Box	315	375
DCF885C2	18V XR Compact Impact Driver 2 x 1.5Ah Batteries Charger & Kit Box	245	293
DCF880M2	18V XR Compact Impact Wrench 2 x 4.0Ah Batteries Charger & Kit Box	315	375
DCF880N	18V XR Compact Impact Wrench Bare Unit	149	178
DCG412M2	18V XR Grinder 2 x 4.0Ah Batteries Charger & Kit Box	345	411
DCG412N	18V XR Grinder Bare Unit	149	178
DCH213M2	18V XR SDS Hammer 2 x 4.0Ah Batteries Charger & Kit Box	375	447
DCH214M2	18V XR SDS Hammer 2 x 4.0Ah Batteries Charger & Kit Box With Quick Change Chuck	415	494
DCS331M2	18V XR Jigsaw 2 x 4.0Ah Batteries Charger & Kit Box	345	411
DCS331N	18V XR Jigsaw Bare Unit	149	178
DCS380M2	18V XR Reciprocating Saw 2 x 4.0Ah Batteries Charger & Kit Box	359	428
DCS380N	18V XR Reciprocating Saw Bare Unit	149	178
DCS391M2	18V XR Circular Saw 2 x 4.0Ah Batteries Charger & Kit Box	359	428
DCS391N	18V XR Circular Saw Bare Unit	149	178
DCS373M2	18V XR Metal Cutting Circular Saw 2 x 4.0Ah Batteries Charger & Kit Box	359	428
DCS373N	18V XR Metal Cutting Circular Saw Bare Unit	179	214
DCD740C1	18V XR Right Angle Drill 1 x 1.5Ah Batteries Charger & Kit Box	189	225
DCK285M2	18V XR Compact Hammer Drill & Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	365	435
DCK290M2	18V XR XRP Premium Hammer Drill & Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	409	487
DCK285M2B	18V XR Compact Hammer Drill & Brushless Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	365	435
DCK290M2B	18V XR XRP Premium Hammer Drill & Brushless Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	409	487
DCK591M3	18V XR 5 Piece Kit with 3 x 4.0Ah Batteries Charger & Tough System	789	940
DCK692M3	18V XR 6 Piece Kit (3 Speed) With 3 x 4.0Ah Batteries Charger & Tough System	799	952
DCK691M3	18V XR 6 Piece Kit (2 Speed) With 3 x 4.0Ah Batteries Charger & Tough System	749	892



All prices are SSP's Excluding VAT

DCK381M2	18V XR 3 Piece Kit 2 x 4.0Ah Batteries Charger & DS300 Kit Box	405	485
DCK293M2	18V XR XRP Premium Hammer Drill & Grinder Kit 2 x 4.0Ah Batteries Charger & DS300 Kit Box	409	487
DCD740N	18V XR Right Angle Drill Driver Bare Unit	105	125
DCL040	18V XR Pivot Work Light	45	54

XR LI-ION BATTERIES & CHARGERS **UK £** **IE €**

DCB182	18V XR 4.0Ah Battery Pack	109	130
DCB181	18V XR 1.5Ah Battery Pack	69	83
DCB105	10.8V / 14.4V / 18V XR Multi Voltage Charger	75	90
DCB119	10.8V / 14.4V / 18V XR Multi Voltage Car Charger	59	70

18 VOLT **UK £** **IE €**

DCD925B2	18V XRP Hammer Drill 2 x 2.6Ah NiMH Batteries Charger & Kit Box	297	354
DC619KB	18V 16 Gauge cordless nailer 2 x 2.6Ah NiMH Batteries Charger & Kit Box	469	559
DC212N	18V SDS Hammer Bare Unit	212	253
DC330N	18V Jigsaw Bare Unit	231	275
DC385N	18V Reciprocating Saw Bare Unit	212	253
DC390N	18V Circular Saw Bare Unit	181	216
DC411N	18V 125mm Grinder Bare Unit	179	213
DC520N	18V Drywall Gun Bare Unit	160	191
DC527N	18V Fluorescent Light Bare Unit	47	56
DC727N	18V Hammer Drill Bare Unit	179	213
DC822N	18V Compact Impact Wrench Bare Unit	177	212
DC827N	18V Compact Impact Driver Bare Unit	167	199
DW908	18V Flashlight Bare Unit	41	50
DW919	18V Flexible Flashlight Bare Unit	47	56

14.4 VOLT **UK £** **IE €**

DCD935B2	14.4V XRP Hammer Drill 2 x 2.6Ah NiMH Batteries Charger & Kit Box	283	337
DC835KB	14.4V Compact Impact Driver 2 x 2.6Ah NiMH Batteries Charger & Kit Box	236	281
DC735KA	14.4V Compact Hammer Drill 2 x 2.0Ah NiCd Batteries Charger & Kit Box	203	242
DC733KA	14.4V Drill Driver 2 x 1.3Ah NiCd Batteries Charger & Kit Box	128	153
DC528N	12 / 14.4V Fluorescent Light Bare Unit	41	50
DW906	12 / 14.4V Flashlight Bare Unit	39	47
DW918	12 / 14.4V Flexible Flashlight Bare Unit	44	53

12 VOLT **UK £** **IE €**

DC745KA	12V Compact Hammer Drill 2 x 2.0Ah NiCd Batteries Charger & Kit Box	159	189
DC740KA	12V Drill Driver 2 x 1.3Ah NiCd Batteries Charger & Kit Box	109	131
DW965K	12V Right Angle Drill 1 x 2.0 Ah NiCd Battery Charger & Kit Box	249	297
DW979K2	12V Drywall gun 2 x 2.0Ah NiCd Batteries Charger & Kit Box	237	283
DW904	12V Flashlight Bare Unit	36	43

10.8 VOLT XR LITHIUM ION **UK £** **IE €**

DCD710S2	10.8V Drill Driver 2 x 1.5Ah Batteries Charger & Kit Box	129	154
DCD710N	10.8V Drill Driver Bare Unit	69	83
DCF815S2	10.8V Impact Driver 2 x 1.5Ah Batteries Charger & Kit Box	129	154
DCF815N	10.8V Impact Driver Bare Unit	82	98
DCF610S2	10.8V Screwdriver 2 x 1.5Ah Batteries Charger & Kit Box	127	152
DCF813S2	10.8V Impact Wrench 2 x 1.5Ah Batteries Charger & Kit Box	136	162
DCS310S2	10.8V Mini Reciprocating Saw 2 x 1.5Ah Batteries Charger & Kit Box	129	154
DCS310N	10.8V Mini Reciprocating Saw Bare Unit	69	83
DCT414S1	10.8V IR Thermometer 1 x 1.5Ah Battery Charger & Kit Box	135	161
DCT414N	10.8V IR Thermometer Bare Unit	82	98
DCT416S1	10.8V Imaging Thermometer 1 x 1.5Ah Battery Charger & Kit Box	869	1035
DCT410S1	10.8V Inspection Camera 1 x 1.5Ah Battery Charger & Kit Box	305	363
DCT410N	10.8V Inspection Camera Bare Unit	149	178



All prices are SSP's Excluding VAT

DCT4101	17mm Camera Cable	69	83
DCT4102	9mm Camera Cable	65	78
DCT4105	5.8mm Camera Cable	139	166
DCT4103	0.9m Camera Cable Extension	29	35
DCZ211S2R	10.8V Combo Kit With Drill Driver Impact Driver 2 x 1.5Ah Batteries Charger & Kit Box	159	190
DCL510N	10.8V LED Torch Bare Unit	30	36
DCB100	10.8V Charger	38	45
DCB123	10.8V Battery 1.5Ah	38	45

BATTERIES

		UK £	IE €
DE9360	Battery 36V Li-Ion Nano	216	258
DE0243	Battery 24V 2.0Ah NiCd	124	148
DE9180	Battery 18V Nano Li-Ion Twin Pack	156	186
DE9503	Battery 18V 2.6Ah NiMH	100	120
DE9095	Battery 18V 2.0Ah NiCd	67	80
DE9098	Battery 18V 1.3Ah NiCd	47	56
DE9502	Battery 14V 2.6Ah NiMH	77	93
DE9091	Battery 14.4V 2.0Ah NiCd	49	59
DE9094	Battery 14.4V 1.3Ah NiCd	45	54
DE9071	Battery 12V 2.0Ah NiCd	49	59
DE9074	Battery 12V 1.3Ah NiCd	39	47

CHARGERS

		UK £	IE €
DE9000	36V & 28V Charger	88	105
DE9136	7.2 - 18V Multi Chemistry Car Charger	92	110
DE9135	7.2 - 18V Multi Chemistry Charger	88	105

VACS/AREA LIGHT

		UK £	IE €
DC020	12 - 18V Area Work Light Non Charging	95	113
DC0213	Replacement 38W Bulb For DC020	13	16
DC500	Cordless Vacuum	120	143
DC515N	Cordless Vacuum Bare Unit	75	89

HAMMERS

		UK £	IE €
D25301D	SDS Plus Dust Extraction Telescope (Fits All 2KG & L-Shape Mains & Cordless Hammers)	56	67
D25013K	22 mm SDS Plus Hammer 3 Mode	111	132
D25123K	26mm SDS Plus Hammer 3 mode New Fully Synchronised Gearbox	145	173
D25124K	26mm SDS Plus Hammer 3 mode New Fully Synchronised Gearbox With Quick Change Chuck	200	239
D25323K	26mm SDS Plus L-Shape Hammer Low Vibration	211	251
D25324K	26mm SDS Plus L-Shape Hammer Low Vibration With Quick Change Chuck	243	289
D25405K	32mm SDS Plus Multi Drill	376	448
D25501K	40mm 5kg SDS Max Combination Hammer	393	469
D25601K	45mm 6kg SDS Max Combination Hammer	443	527
D25711K	48mm 7kg SDS Max Combination Hammer	593	707
D25831K	5kg SDS Max Dedicated Chipping Hammer	399	475
D25899K	10kg Demolition Hammer	523	623
D25901K	10kg Demolition Hammer Fully Featured	692	824
D25960K	16kg 28mm HEX Pavement Breaker	904	1077
D259801	Trolley for Pavement Breaker	109	131
D25980K	31kg Pavement Breaker Trolley & Chisel (110V Only)	1207	1437

LASERS

		UK £	IE €
DW088K	Cross Line Compatible With DE0892 Detector	179	213
DW088KD	DW088K With DE0892 Detector	252	300
DW089K	Multi Line Laser compatible With DE0892 Detector	316	377
DW089KD	DW089K With Detector	380	453
DW082K	Plumb Bob	125	150



All prices are SSP's Excluding VAT

DW084K	4 Dot Laser	271	323
DE0881	Laser Tripod	51	61
DE0882	Laser Pole	76	91
DE0892	Laser Detector for DW088 / DW089	91	108
DE0730	Laser Target Card	11	13
DE0734	Grade Rod	68	81
DE0735	Laser Tripod Elevated	193	231
DE0736	Laser Tripod	148	177
DE0737	Grade Rod	71	85
DE0772	Laser Detector	165	197
DW040P	40M Laser Distance Measure	108	129
DW074K	Self Levelling Horizontal Rotary Laser Manual Levelling In Vertical	412	491
DW075PK	Full Self Levelling Rotary Laser Application Kit	739	880
DW079PKH	Next Generation Horizontal & Vertical Self Levelling Rotary Laser Kit	1108	1319
DW096PK	Auto Level Kit	345	412

MITRE/FLIP SAWS

		UK £	IE €
D27105	305mm Flip Over	1036	1234
D27107	305mm Flip Over	1036	1234
D271051	Clamp Assembly D27105 / D27107	37	45
D271052	Mitre Fence D27105 / D27107	41	50
D271054	Dust Extraction Kit D27105 / D27107	40	48
D271057	Table Saw Guard D27105 / D27107	25	31
D271058	Right Side Extension Table D27105 / D27107	159	189
DW743N	250mm Flip Over	749	892
DE3454	Pair Of Push Sticks	9	12
DE3460	Length Stop For Short Work Pieces	51	61
DE3461	Clamp Assembly	51	61
DE3462	Swivel Stop	29	35
DE3471	Single Sliding Table	576	686
DE3472	Right Side Extension Table	119	142
DE3473	Ripping / Parallel Fence	51	61
DE3474	Adjustable Support	56	67
DE3491	Pair Of Guide Rods 500mm	32	39
DE3494	Pair Of Guide Rods 1000mm	39	47
DE3495	Material Support Plate	51	61
DE3496	Fence For Bench Mode	40	48
DWS780	305mm Compound Slide Mitre Saw	823	980
DW717XPS	250mm Compound Slide Mitre Saw	657	783
DW777	216mm Compound Slide Mitre Saw	327	389
DE7023	Universal Legstand	200	239
DE7033	Short Beam Universal Legstand	137	164
DE7035	Heavy Duty Saw Horse	76	91
DE7024	Work Support Stop	27	32
DE7025	Mounting Bracket	45	54
DE7027	Roller Support For DE7023	37	45
DE7028	Extension Arm Support For DE7023	29	35
DE7029	Increased Width Support Stop For DE7023	40	48
DE7030	Large Mitre Bracket For DE7023	51	61
DE7031	Extension Support For DE7023	69	83
DE7053	Dust Bag For DW713 / DW716 / DW718 / DW717	15	18
DE7080	Extension Kit For DW713 / DW716 / DW718 / DW717	24	29
DE7082	Vert Clamp For DW713 / DW716 / DW718 / DW717	27	32
DE7084	Crown Stop For DW713 / DW716 / DW718 / DW717	17	21
DE7120	Breakout Block	12	15
DE7121	Extraction Kit	29	35



All prices are SSP's Excluding VAT

METAL WORKING / TILE SAW		UK £	IE €
DWE46101	125mm Mortar Raking Kit	199	237
DWE46150	115mm / 125mm Surfacing Shroud	55	66
DWP849X	180mm Polisher	156	186
D24000S	Wet Tile Saw & Legstand	844	1005
D28113	SAG 115mm 900W With Kit Box	57	69
D28113K	SAG 115mm 900W With Kit Box	65	78
D28117	SAG 115mm 1100W With Auto Balancer	116	139
D28065	MAG 125mm 1250W With Dust Ejection System	91	108
DW831	MAG 125mm 1400W	120	143
D28415	LAG 230mm 2200W Low Vibration	189	226
D28490	LAG 230mm 2000W (240V Only)	105	126
D28492K	LAG 230mm 2000W With Kit Box	117	140
D28710	355mm Abrasive Chopsaw	165	197
D28715	355mm Premium Abrasive Chopsaw	323	385
DW872	355mm Metal cutting TCT Chopsaw	380	453
WOODWORKING		UK £	IE €
DWE550	165mm Compact Circular Saw (240V Only)	99	118
DWE560	184mm Compact Circular Saw	109	130
DWE560K	184mm Compact Circular Saw With Kit Box	125	149
DWE575K	190mm Precision Circular Saw With Kit Box	159	190
DWE576K	190mm Precision Circular Saw With DWS5022 Rail Compatible Base	169	202
DW682K	Biscuit Jointer	204	243
D235501	Guide Rail Adaptor For D23550	21	26
D23700	235mm Circular Saw	231	275
DW331K	Jigsaw 701 Watt	151	180
DW341K	Compact Jigsaw 550 Watt	115	137
DWS520K	Precision Plunge Saw	337	402
DWS520KR	Precision Plunge Saw Includes 1.5m Guide Rail	371	442
DWS5021	1m Guide Rail	41	50
DWS5022	1.5m Guide Rail	59	70
DWS5023	2.6m Guide Rail	91	108
DWS5025	Guide Rail Carry Bag For DWS5021 & DWS5022	35	42
DWS5026	Pair of quick clamps	36	43
DWS5027	T Square	25	31
DWS5029	Replacement Edge strip	19	23
DWS5030	Replacement Low Friction Strip	19	23
DWS5031	Router Attachment	32	39
DWS5032	Replacement High Friction Strip	19	23
DE6292	Joining Bar	16	20
DW680K	Planer 2.5mm	152	181
D26500K	Planer 4mm	209	250
DE2650	Planer Bag for D26500K & D26501K	20	24
DW304PK	Reciprocating Saw (240V Only)	212	253
DWE357K	Compact Reciprocating Saw	155	185
DW310K	Heavy Duty Reciprocating Saw	184	220
DW311K	Heavy Duty Reciprocating Saw Variable Speed	241	288
DWE396	275mm Alligator With 54T class 20 Poroton Blade	319	380
DWE397	425mm Alligator With 48T class 12 Poroton Blade	339	404
DW615	1/4" Router	205	245
D26200	1/4" Compact Fixed Base Router	151	180
D26203	1/4" Plunge Router	227	270
D26204K	1/4" Combination Plunge & Fixed Base Router	251	299
DW622K	1/2" Router	261	312



All prices are SSP's Excluding VAT

DW625EK	1/2" 2000 Watt Router	309	369
D26410	150mm Random Orbit Sander	189	226
D26421	1/2 Sheet Sander	199	237
D26430	Detail Sander (240V Only)	100	120
D26441	1/4 Sheet Sander	81	97
D26453	125mm Random Orbit Sander (240V Only)	95	113
D26480	Palm Grip Belt Sander (240V Only)	144	172
DW433	75mm belt sander (240V Only)	243	289
DW443	150mm Random Orbit Sander Body Grip (240V Only)	168	200
DW609	Laminate Trimmer (240V Only)	321	383
DW670	Laminate Trimmer 6-8mm	133	159
D26414	LCD Premium Heat Gun	77	93
D26411	1800 Watt Heatgun (240V Only)	45	54

MACHINERY

		UK £	IE €
DW721KN	300mm 2000 Watt 507mm Radial Arm Saw	1568	1867
DW728KN	350mm 2200 Watt 525mm Radial Arm Saw	2536	3019
DW729KN	350mm 4000 Watt 525mm Radial Arm Saw	2536	3019
DW744XPRS	Portable Table Saw 610mm & DE7400 Rolling Stand (240V Only)	817	973
DW744XP	Portable Table Saw 610mm (240V Only)	759	904
DW745RS	Portable Table Saw 410mm & DE7400 Rolling Stand	527	627
DW745	Portable Table Saw 410mm	488	581
DE7400	Table Saw Rolling Stand	204	243
D27300	Planer Thicknesser	1000	1191
DW733	Portable Thicknesser (240V Only)	451	537
DW738	155mm 2 Speed Bandsaw (240V Only)	303	361
DW739	155mm Variable Speed Bandsaw (240V Only)	345	412
DW876	200mm 2 Speed Bandsaw (240V Only)	501	597
D27900	27 Litre Dust Extractor (240V Only)	236	281
D27901	45 Litre Dust Extractor (240V Only)	351	418

DRILLS/DIAMOND/SCREWDRIVERS

		UK £	IE €
D21160	Right Angle Drill (240V Only)	140	167
D21520	Mixer Drill	197	235
DWD024K	650 Watt Percussion Drill With Kit Box	72	86
DWD524KS	1100 Watt Percussion Drill	165	197
D21570K	1300 Watt 127mm Diamond Drill	205	245
D21580K	Dry Diamond Drill	557	664
D215821	Drilling Stand For D21580 / D21582	412	491
D215822	Water Collection Ring For D215821	119	142
D215823	3 x Spare Seals For Water Collection Ring D215822	44	53
D215824	10L Water Tank	220	262
D215825	Fastening Set For Concrete (10 x Dowels)	36	43
D215826	Fastening Set For Masonary (1 x Dowel)	27	32
D215827	10 x Spare Dowel Concrete	13	16
D215828	1 x Spare Dowel Masonary	5	7
D215831	Drilling Stand For D21580 / D21582 / D21583 (Reduction Ring Required)	685	816
D215832	Water Collection Ring For D215831	145	173
D215833	3 x Spare Seals For D215832	60	72
D215834	Reduction Ring 60-53mm Collar	15	18
D215835	Quick Action Bracing Unit	367	437
D215838	Spare 3m Vacuum Tube	33	40
D215839	Vacuum Kit For D215831	45	54
D215804	Dust Collection Device	160	191
D21583K	Wet & Dry Diamond Drill (110V Only)	815	970
D21716K	Percussion Drill 701 Watt (240V Only)	104	124



All prices are SSP's Excluding VAT

D21805KS	Percussion Drill 770 Watt Keyless Chuck (240V Only)	128	153
D27902	Concrete Dust Extractor (110V Only)	424	505
DW274K	Drywall Gun	125	150
DW292	1/2" Impact Wrench	239	285
DW294	3/4" Impact Wrench	256	305

DUST EXTRACTION & MISCELLANEOUS

		UK £	IE €
DWV902M	M Class Construction Dust Extractor	529	630
D500910	Safety Specs	12	15
WM626	Workmate	71	85
DWV9210	Airlock Construction Kit	25	30
DWV9220	Airlock Woodworking Kit	45	54
DWV9000	Airlock Twist Lock	15	18
DWV9110	Airlock Tapered Adaptor	12	15
DWV9120	Airlock Stepped Adaptor	12	15
DWV9130	Airlock 35mm Adaptor	12	15
DWV9150	Airlock 35mm Angle Adaptor	15	18
D279058CL	Airlock Hose Clip	15	18
DWH050K	Large Hammer Dust Extraction Drilling & Hole Cleaning	65	78
DWH051K	Large Hammer Dust Extraction Chipping 5kg To 12kg	69	83
DWH052K	Large Hammer Dust Extraction Chipping 16kg & 30kg	49	59

STORAGE

		UK £	IE €
1-70-321	TOUGHSYSTEM™ DS150	43.17	51.38
DWST1-70728	TOUGHSYSTEM™ DS250	62.49	74.38
1-70-322	TOUGHSYSTEM™ DS300	51.81	61.66
1-70-323	TOUGHSYSTEM™ DS400	56.12	66.80
1-70-324	TOUGHSYSTEM™ TROLLEY	129.53	154.17
1-70-349	DS150 DS300 DS450 & Trolley	267.70	318.64
1-70-362	TOUGHSYSTEM™ Spare Brackets	12.94	15.41
DWST7-97150	Foam Insert For DS150	8.33	9.92
DWST1-70702	T-BOX Combo II & IV	59.99	71.40
DWST1-70703	T-BOX II Kit Box	29.16	34.71
DWST1-70705	T-BOX III Deep Drawer Kit Box	33.33	39.67
DWST1-70706	T-BOX IV Shallow Drawer Kit Box	37.49	44.62
1-79-208	18" Tote Bag	51.81	61.66
1-79-209	Rigid Top Bag	51.81	61.66
1-79-211	Round Top Bag	60.44	71.94

Products sold as per dealer's valid price list. Please refer to price list for stock availability. Prices are correct as of date of print but subject to change at the manufacturers discretion. All prices exclude local taxes

All products shown are in compliance with the appropriate European regulations. DEWALT is a member of EPTA

Dual voltage - all DEWALT power tools are supplied in both 230 Volts and 115 Volts options unless otherwise stated. Please contact your local dealer for availability.

DEWALT reserves the right to revise product specifications at any time without notice.

All measurements are in millimetres (mm) unless otherwise stated.

WARNING: all warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by DEWALT as a result.

Only European tools are covered by a European warranty.

Please refer to the website www.dewalt.co.uk for a full set of our terms and conditions of business trading.

GUARANTEED TOUGH, DEWALT EXTREME, DEWALT, EXTREME DEWALT, DEWALT GUARANTEED TOUGH, DEWALT SERVICE logo, TSTAK, TOUGHSYSTEM logo, AIR LOCK logo, SERIES 20, SERIES 30, SERIES 40, SERIES 60, AVC, XR, XRP, XPC, XPS, XLR, and ALLIGATOR are registered trademarks of The Black and Decker Corporation.

The yellow and black colour scheme is used on DEWALT power tools and accessories as a trademark.

GORE Wet/Dry Filter is a trademark of W.L. Gore & Associates Inc.

Registered Trade Marks of Robert Bosch GmbH. Torx® is a Registered Trade Mark of Acument Intellectual Properties, LLC.



THE CORDLESS

REVOLUTION



JOIN THE CORDLESS REVOLUTION

DCN690M2
18V XR LI-ION
FRAMING NAILER

DCD785M2
18V XR LI-ION COMPACT
HAMMER DRILL/DRIVER

DCS331M2
18V XR LI-ION JIGSAW

9.6 reevo
out of 10 Score based on 7 reviews*

9.3 reevo
out of 10 Score based on 29 reviews*

9.4 reevo
out of 10 Score based on 9 reviews*

“ Let’s get this straight right at the start, this is the future. A few years from now no-one will be buying gas nailers and they will all be battery-only. ”



“ Nice and light, good design and the batteries last forever. ”



“ Accurate and powerful cutting. Long lasting battery life. Quick blade change, it oozes quality. ”



10 DOM
out of 10 NORTH NORFOLK, JOINER
Read the full review at: <http://reevo.com/q/1RU>

10 LUKE
out of 10 DUDLEY, ELECTRICIAN
Read the full review at: <http://reevo.com/q/eKT>

10 KEVIN
out of 10 GLENROTHES, ROOFER
Read the full review at: <http://reevo.com/q/EJ>

To read more independent reviews go to

www.DEWALT.co.uk/jointherevolution

DEWALT[®]

**POWER TOOLS
CATALOGUE 2013**

www.DEWALT.co.uk