

■ DISC SANDERS
SXE 425/450 TURBOTEC

metabo[®]
work. don't play.

TURBO AT YOUR FINGERTIPS.



- TurboBoost switch for even better material removal
- Extremely robust due to die-cast aluminium flange
- With Intec dust extraction as standard



The Metabo 3-year warranty
Register online at: www.metabo.com/xxl

TURBO: NOW AVAILABLE FOR CRAFTSPEOPLE TOO!

Metabo disc sanders have always been the first choice for automotive applications, for painters, varnishers and wood workers. Now we are going one up yet again:

Thanks to the Turbo Boost, our new models can remove even more material at the touch of a button. The SXE 425 TurboTec and the SXE 450 TurboTec both

Knurred wheel for speed control


Precise and convenient speed regulation in six steps.

Removable additional handle

With the additional handle, the disc sander can be precisely guided with virtually no effort.



MATERIAL REMOVAL POWER IN GRAM



The right speed for every type of material:

With electronics for speed control, the machine can be easily adapted for a variety of materials. This makes the user more versatile, as the right amount of power can be applied to the workpiece, whether metal or plastic.

From material removal to fine sanding:

The two adjustable oscillating circuits (SXE 450 TurboTec) are particularly important for wood processing: The large oscillating circuit is used for heavy material removal, the small circuit is used to obtain the smoothest possible sanded finish.

possess an extremely sturdy die-cast aluminium flange. Both machines are even more compact, light-weight and ergonomic than their predecessors, and are now

equipped with Metabo Intec dust extraction. The new generation of Metabo disc sanders is yet another step ahead of the competition. **Metabo. Work. Don't play.**

TurboBoost switch

For even more power: TurboBoost can be activated at any preselected speed. This enables maximum utilisation of reserve power.

Rubber-coated handle

For a secure grip during operation with less vibration.



Hexagonal spanner for changing the sanding plate

Practical storage with quick access.

Duo oscillating circuit

Enables quick switching from fine sanding to rough material removal (SXE 450 TurboTec only).

Extraction adaptor nozzle for external dust extraction

Facilitates the easy connection of an external dust extraction system as an alternative.

Intec dust extraction unit

With a filter which can be cleaned and reused several times. The pleated filter is simply removed from the box for cleaning; the filter and the box are both very easy to clean.



Hassle-free filter changes:

The pleated filter is simply removed from the box for cleaning; the filter and the box are both very easy to clean.



For shiny surfaces:

When fitted with a lambskin disc, the SXE 425 TurboTec and the SXE 450 TurboTec are also ideal for polishing.



Adjustable oscillating circuit:

Exclusively from Metabo: A workpiece often requires rough sanding in the beginning, and then finer sanding towards the end. The duo oscillating circuit enables just that, as it can be quickly switched from heavy material removal to fine sanding (SXE 450 TurboTec only).

DISC SANDER ACCESSORIES

Dust collection cartridge



Dust collection cartridge
(as replacement) including dust filter

Order no. 6.25599

Pleated filter



Pleated filter for the dust collection
cartridge 6.25599

Order no. 6.31980

Metabox III



Metabox III
for SXE 425/450 TurboTec

Order no. 6.24619

Support plate



Support plate 150 mm, medium-hard,
perforated for SXE 450 TurboTec

Support plate 125 mm, medium-hard,
perforated for SXE 425 TurboTec

Order no. 6.31219 (125 mm) 6.31158 (150 mm)

Cling-fit lambskin polishing disc



Cling-fit lambskin polishing disc
125 mm, for SXE 425 TurboTec

Cling-fit lambskin polishing disc
150 mm, for SXE 450 TurboTec

Order no. 6.31223 (125 mm) 6.31217 (150 mm)

Cling-fit polishing sponge



Cling-fit polishing sponge 130 mm,
for SXE 425 TurboTec

Cling-fit polishing sponge 160 mm,
for SXE 450 TurboTec

Order no. 6.31222 (130 mm) 6.31233 (160 mm)

Cling-fit sanding sheets

Grit	125 mm for SXE 425 TurboTec			150 mm for SXE 450 TurboTec		
	Wood/ metal Order no. (5 Stk.)	Wood/ metal Order no. (25 Stk.)	Colour Order no. (25 Stk.)	Wood/ metal Order no. (5 Stk.)	Wood/ metal Order no. (25 Stk.)	Colour Order no. (25 Stk.)
P40	6.31226	6.31584	6.25726	6.24001	6.24019	6.24028
P60	6.31227	6.31585	6.25727	6.24002	6.24020	6.24029
P80	6.31228	6.31586	6.25728	6.24003	6.24021	6.24030
P100	6.25711	6.25712	6.25729	6.24004	6.24022	6.24031
P120	6.31229	6.31587	6.25730	6.24005	6.24023	6.24032
P180	6.31230	6.31588	6.25731	6.24006	6.24024	6.24033
P240	6.31231	6.31589	6.25732	6.24007	6.24025	6.24034
P320	6.31236	6.31596	6.25733	6.24008	6.24026	6.24035
P400	6.31237	6.31597	6.25734	6.24009	6.24027	6.24036
Assortment P60/P80/P120	6.31232	6.31583	6.25735	–	6.24066	6.24069

TECHNICAL DATA FOR SXE 425 TurboTec SXE 450 TurboTec

Rated input	320 W	350 W
Grinding disc diameter	125 mm	150 mm
Electronics	V electronics	V electronics
Duo oscillating circuit	No	Yes
TurboBoost switch	Yes	Yes
Oscillating circuit	5 mm	2.8/6.2 mm
Intec dust extraction unit	Yes	Yes
Weight	2.0 kg	2.2 kg
Included as standard	3 perforated cling-fit sanding sheets, Intec dust collection cartridge, removable additional handle, hexagonal spanner	
Order no.	6.00131	6.00129

