

mafell



Dust Extractor

S 35 M

Dust extractor S 35 M: The fine dust specialist

Control panel



The control panel on the front gives easy access to the dials for selecting the desired suction mode and hose diameter.

Rugged and versatile

The low center of gravity, wide chassis, two large wheels and locking casters offer good mobility and stability.

Nano-coated main filter

Clogging of the filter has been reduced even further by a special coating. Thanks to the extremely effective cleaning technology, moreover, even large quantities of fine dust are easily and reliably removed.



Permanent clean

Uninterrupted operation for long periods of continuous duty. Owing to the very latest filter cleaning technology, consistently high suction performance is maintained even during the automatic main filter cleaning cycle.

iPulse sensor technology

The extent of filter contamination is monitored by special sensor technology. As a consequence, cleaning takes place only when the filter is actually contaminated, and not at fixed intervals or when the hose is blocked or kinked.



The all-new S 35 M combines outstanding suction performance with great ease of use. Thanks to permanent clean functionality, a nano-coated main filter and intelligent iPulse sensor technology, all types of dust in dust class M are permanently and reliably removed.



Technical data and accessories

Dust extractor S 35 M

Ref. No. 919701

Technical data

Nominal power input	1400 W (1.9 hp)
Container capacity	35 l
Container water-holding capacity	22 l
Hose connector	Ø 66/58 mm (2 5/8 / 2 5/16 inch)
Vacuum	248 mbar
Volumetric flow	220 m ³ /h
Dimensions (W x L x H)	500 x 405 x 570 mm (19 11/16 x 15 15/16 x 22 7/16 inch)
Weight	15 kg (33.1 lbs)
Universal motor	230V/50 Hz

Delivery specification

1 extraction hose 4 m ø 27 mm with 35 mm soft cone, torsion joint, ø 66 mm bayonet, antistatic
1 folded filter cassette, 1 pair (polyester nano-coated)
1 PE disposal bag FB 35

Ref. No.

093684
093720

Special accessories/tools

PE disposal bag PE-FB 35 – pack of 5
Non-woven filter bags V-FB 35 – pack of 5
Folded filter cassette, 1 pair (polyester)
Folded filter cassette, 1 pair (polyester nano-coated)
Reducing socket ø 58 / 35 mm
Hand-held extraction set D 35
Extraction hose 4 m ø 27 mm with 35 mm soft cone, torsion joint, ø 66 mm bayonet, antistatic
Extraction hose 5 m ø 35 mm with 35 mm soft cone, torsion joint, ø 66 mm bayonet, antistatic
Extraction hose 2.5 m ø 49 mm with 35 mm soft cone, torsion joint, ø 66 mm bayonet, static

Ref. No.

093721
093719
093674
093720
203602
093718
093684
093681
093682

Your MAFELL authorized dealer: